

Radiation boost for artificial joints

September 22 2011

A blast of gamma radiation could toughen up plastic prosthetic joints to make them strong enough to last for years, according to researchers in China writing in the current issue of the *International Journal of Biomedical Engineering and Technology*.

Whole joint replacement, such as hip and [knee replacement](#), commonly use stainless steel, titanium alloys or ceramics to replace the damaged or diseased bone of the joint. Non-stick polymer or nylon is usually used to coat the artificial joint to simulate the cartilage. However, none of these materials are ideal as they produce debris within the body as the joint is used, which leads to inflammation, pain and other problems.

Now, Maoquan Xue of the Changzhou Institute of Light Industry Technology, has investigated the effect of adding [ceramic particles](#) and fibers to two experimental materials for coating prosthetic joints, UHMWPE (ultra-high-molecular-weight polyethylene) and PEEK (polyether ether ketone). Alone neither UHMWPE nor PEEK is suitable as a prosthetic cartilage materials because both crack and fracture with the kind of everyday stresses that a hip or knee joint would exert on them. The problem is that the long [polymer chains](#) within the material can readily propagate applied forces causing tiny fractures to grow quickly and the material to fail.

Xue has now demonstrated that by adding ceramic particles to the polymers and then blasting the composite with a short burst of [gamma-radiation](#) it is possible to break the main polymer chains without disrupting the overall structure of the artificial [cartilage](#). There is then no

way for microscopic fractures to be propagated throughout the material because there are no long stretches of polymer to carry the force from one point to the next. The resulting treated material is thus much tougher than the polymer alone and will not produce the problematic debris within a joint that might otherwise lead to inflammation and pain for the patient.

Xue adds that the treated [composite materials](#) might also be more biocompatible and so less likely to be rejected by the patient's immune system on implantation. He suggests that the particular structure of the composites would also be receptive to addition of bone-generating cells, osteocytes or stem cells, that could help a prosthetic joint be incorporated more naturally into the body.

More information: "Research on polymer composites of replacement prostheses" in *Int. J. Biomedical Engineering and Technology*, 2011, 7, 18-27

Provided by Inderscience Publishers

Citation: Radiation boost for artificial joints (2011, September 22) retrieved 20 March 2024 from <https://phys.org/news/2011-09-boost-artificial-joints.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
