

Tests under way on the sunshield for Webb telescope

September 19 2011



The five-layer James Webb Space Telescope sunshield consists of thin membranes made from a polymer-based film and supporting equipment such as spreader bars, booms, cabling, and containment shells. Designed to block solar light and keep the Observatory operating at cryogenic temperatures. Credit: NASA/Northrop Grumman


NASA is testing an element of the sunshield that will protect the James

Webb Space Telescope's mirrors and instruments during its mission to observe the most distant objects in the universe.

The sunshield will consist of five tennis court-sized layers to allow the Webb telescope to cool to its cryogenic operating temperature of minus 387.7 [degrees Fahrenheit](#) (40 Kelvin).

Testing began early this month at ManTech International Corp.'s Nexolve facility in Huntsville, Ala., using flight-like material for the sunshield, a full-scale test frame and hardware attachments. The test sunshield layer is made of Kapton, a very thin, high-performance plastic with a reflective metallic coating, similar to a Mylar balloon. Each sunshield layer is less than half the thickness of a sheet of paper. It is stitched together like a quilt from more than 52 individual pieces because manufacturers do not make Kapton sheets as big as a tennis court.

The tests are expected to be completed in two weeks.



This is a September 2009 artist conception of the James Webb Space Telescope, with the five-layer sunshield stretched out in space. Credit: NASA

"The conclusion of testing on this full size layer will be the final step of the sunshield's development program and provides the confidence and experience to manufacture the five flight layers," said Keith Parrish, Webb Sunshield manager at NASA's Goddard Space Flight Center in Greenbelt, Md.

During testing, engineers use a high-precision [laser radar](#) to measure the layer every few inches at room temperature and pressure, creating a 3D map of the material surface, which is curved in multiple directions. The map will be compared to computer models to see if the material behaved as predicted, and whether critical clearances with adjacent hardware are

achieved.

The test will be done on all five layers to give engineers a precise idea of how the entire sunshield will behave once in orbit. Last year, a one-third-scale model of the sunshield was tested in a chamber that simulated the [extreme temperatures](#) it will experience in space. The test confirmed the sunshield will allow the telescope to cool to its operating temperature.

After the full-size sunshield layers complete testing and model analysis, they will be sent to Northrop Grumman in Redondo Beach Calif., where engineers verify the process of how the layers will unfurl in space. There the [sunshield](#) layers will be folded, much like a parachute, so they can be safely stowed for launch.

Provided by NASA's Goddard Space Flight Center

Citation: Tests under way on the sunshield for Webb telescope (2011, September 19) retrieved 26 April 2024 from <https://phys.org/news/2011-09-sunshield-webb-telescope.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
