

New study on tropical fish dispersal

September 14 2011



Research published today in *Proceedings of the Royal Society: B* identifies success factors for tropical fish looking to establish new populations in the face of climate change.

Climate change has a pervasive influence on the dispersal patterns of many plant and [animal species](#), including [tropical fish](#) populations. A new study led by Macquarie University PhD student, Osmar Luiz, shows that depending on where the fish disperse from, the use of 'stepping stones', flotsam or simply being an adult can help in the journey to find a new home.

To identify these success predictors Luiz analysed 985 tropical reef-fish species with supervisor Dr. Joshua Madin and counterparts in Panama,

USA, Portugal and Brazil.

Conducting their study across two major Atlantic marine barriers, the researchers identified success predictors that include:

- an ability to raft with flotsam; as seen in the Mid-Atlantic Barrier
- usage of non-reef habitats as 'stepping-stones'; seen in the Amazon-Orinoco Plume
- large adult size and latitudinal range

In particular, the findings about the predictor of adult size sheds new light on previous thinking about dispersal, showing that variation in larval-development mode is not as significant in migratory dispersal as previously thought.

The researchers highlight the assessment of adult-biology traits when assessing which fish will have the best chances of establishing new populations.

Luiz and Madin have been exploring the dispersal patterns of tropical fish for some time, both globally and in Australia, through the SIMS facilities in Chowder Bay, Sydney.

"We have been investigating the possibility that tropical reef [fish populations](#) may start appearing in the Sydney area. As part of this research, we study the characteristics of different reef fish species to determine which traits could allow them to travel beyond the Great Barrier Reef to New South Wales, traits like those seen in this study," says Luiz.

Luiz and Madin completed this research, titled "Ecological traits influencing range expansion across large oceanic dispersal barriers: insights from tropical Atlantic reef fishes" with representatives from the

Smithsonian Tropical Research Institute, University of Texas,
Universidade do Algarve and Universidade Federal de Santa Catarina.

Provided by Macquarie University

Citation: New study on tropical fish dispersal (2011, September 14) retrieved 26 April 2024
from <https://phys.org/news/2011-09-tropical-fish-dispersal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.