

# How the fly flies: Scientists discover gene switch responsible for flight muscle formation

November 17 2011

---



Flies are excellent fliers. However, without the gene spalt they stay on the ground and walk. Credit: Frank Schnorrer / MPI of Biochemistry

Flies are real flight artists, although they only have small wings compared to their body size. Scientists at the Max Planck Institute of Biochemistry in Martinsried near Munich, Germany, recently identified the genetic switch that regulates the formation of flight muscles.

"The gene spalt is essential for the generation of the ultrafast super muscles," emphasizes Frank Schnorrer, head of the research group 'Muscle Dynamics'. "Without spalt, the fly builds only normal leg

muscles instead of flight muscles." The scientists' results have now been published in *Nature*.

In order to fly efficiently, flies have to flap their small wings very fast. This causes the familiar buzzing and humming of the small beasts. The fruit fly *Drosophila melanogaster* moves her wings at a frequency of 200 hertz – that means its flight muscles contract and relax 200 times per second. "In contrast, a hundred meters sprinter who moves his legs only a few times per second moves like a snail," Frank Schnorrer describes. How can the fruit fly flap its wings at such a high frequency?

Muscles control all body movements, including the wing oscillations. However, flight muscles are unique. Their contractions are not only regulated by nerve impulses as usual, but additionally triggered by tension. Every fly has two categories of flight muscles which enable the wing oscillations: One type moves the wings down and, at the same time, stretches the other type which induces its contraction. Such, the [wings](#) are pulled up again and stable wing oscillations begin.

## **No spalt, you are flightless**

By means of targeted gene silencing in the fruit fly, scientists in the research group "Muscle Dynamics" at the MPI of [Biochemistry](#) have now identified the switch essential for the formation of flight muscles: "Spalt". Transcription factors like Spalt play an important role for the correct transcription of the genetic information into RNA and proteins necessary in the respective cell type. Spalt only exists in flight muscles and is responsible for the specific architecture of their myofibrils. These components of muscle fibres alone enable the contraction of a muscle in response to the applied tension during the oscillations. Without Spalt, the [flies](#) survive, but are flightless. The flight muscles no longer react to tension and behave like normal [leg muscles](#). Vice versa, the scientists succeeded in creating flight muscle-like muscles in the fly's legs by only

inserting Spalt.

These results could be medically important. "Human body muscles do not have Spalt and are hardly regulated by tension," Frank Schnorrer explains. "But the human cardiac muscle builds Spalt and the tension inside the ventricle influences the heartbeat intensity. Whether Spalt plays a role in heartbeat regulation, is not yet known and remains to be investigated."

**More information:** Cornelia Schönbauer, Jutta Distler, Nina Jährling, Martin Radolf, Hans-Ulrich Dodt, Manfred Frasch & Frank Schnorrer, Spalt mediates an evolutionarily conserved switch to fibrillar muscle fate in insects, *Nature*, 17 November 2011

Provided by Max-Planck-Gesellschaft

Citation: How the fly flies: Scientists discover gene switch responsible for flight muscle formation (2011, November 17) retrieved 25 April 2024 from <https://phys.org/news/2011-11-flies-scientists-gene-responsible-flight.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---