

Proton beam experiments open new areas of research

December 5 2011



The Trident laser at Los Alamos National Laboratory.

By focusing proton beams using high-intensity lasers, a team of scientists have discovered a new way to heat material and create new states of matter in the laboratory.

Researchers from Lawrence Livermore National Laboratory; the Jacobs School of Engineering at the University of California, San Diego; Los Alamos National Laboratory; Hemoltz-Zentrum Dresden-Rossendorf of Germany; Technische Universitat Darmstadt of Germany, and <u>General</u> <u>Atomics</u> of San Diego unveiled new findings about how proton beams can be used in myriad applications.

Using the Trident sub-picosecond laser at Los Alamos, the team



generated and focused a <u>proton beam</u> using a cone-shaped target. The protons were found to have unexpected curved trajectories due to the large electric fields in the beam. A sheath electric field also channeled the proton beam through the cone tip, substantially improving the beam focus.

"These results agree well with our particle simulations and provide the physics basis for many future applications," said Mark Foord, one of the LLNL scientists on the team.

Other Livermore researchers include lead author Teresa Bartal (also a UCSD Ph.D student and Lawrence scholar), Claudio Bellei, Michael Key, Pravesh Patel, Drew Higginson and Harry McLean. The research appears in the Dec. 4 issue of the journal, <u>Nature Physics</u>.

Bartal said the experiments uncover a new understanding of the physics involved in proton focusing, which affects how proton beams can be used in the future -- from heating material to creating new types of matter that couldn't be made by any other means, to medical applications and insights into planetary science.

"The ability to generate high-intensity well-focused proton beams can open the door to new regimes in high-energy density science," Bartal said.

One example includes focusing a proton beam on a solid density or compressed material creating millions of atmospheres of pressure, allowing the study of the properties of warm dense matter found in the interior of giant planets such as Jupiter.

The UCSD team was led by Farhat Beg of Jacobs School of Engineering and several of his students participated in this experiment.



"This work has given a new direction to the conventional thinking of proton beam focusing in short-pulse laser matter interaction," Beg said. "Surely it will impact heating of pre-compressed materials to temperatures observed at the core of the sun and any future applications in proton oncology using high-intensity lasers."

Laser-produced proton beams also are making an impact on medical applications such as isotope production for positron emission tomography (PET) and proton oncology.

Provided by Lawrence Livermore National Laboratory

Citation: Proton beam experiments open new areas of research (2011, December 5) retrieved 1 May 2024 from <u>https://phys.org/news/2011-12-proton-areas.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.