

Mesoparapylocheles michaeljacksoni: Fossil hermit crab named after Michael Jackson

January 19 2012




The shield of *Mesoparapylocheles michaeljacksoni*. The legs and tail part were not preserved. The scale bar is 1.0 mm.

(PhysOrg.com) -- A Kent State University researcher was part of an international team of paleontologists that recently made a significant discovery in northern Spain. The group discovered a new family, genus and species of fossil hermit crab – one that lived 100 million years ago.

The group's findings were published online this month in the Germany-based journal *Neues Jahrbuch für Geologie und Paläontologie*.

The team made the surprising discovery on June 25, 2009. Later that day, while meeting at a restaurant in the city of Alsasua, the group saw on TV that international superstar Michael Jackson had passed away that day. The [paleontologists](#) decided to honor the “King of Pop” by the naming the new species after the late music icon: *Mesoparapylocheles michaeljacksoni*.

“Michael Jackson’s music will no doubt live a very long time and influence many people so I think the name is appropriate,” explained co-author Adiël Klompmaker, a Ph.D. candidate in Department of Geology at Kent State.



The only living species from the same family: *Parapylocheles scorpio*.

The shield of the new hermit crab was discovered in an abandoned limestone quarry in the foothills of the Pyrenees in the Spanish province of Navarra. “The rocks in the Koskobilu quarry are part of a [fossil](#) coral reef with an age of 100 million years,” Klompmaker said. “This is right

in the middle of the Cretaceous period, when dinosaurs were dominating the continents. In this area in northern Spain, we find many invertebrate fossils, such as corals, algae, sea urchins, but also a wide variety of crabs.”

Mesoparapylocheles michaeljacksoni has one living relative from the same family. *Parapylocheles scorpio* lives in deep waters of the Indian and Pacific Oceans. “However, the new [hermit crab](#) lived in the shallow waters of a coral reef hidden in between the branching corals,” said Dr. René Fraaije, the lead author and director of the Dutch Oertijdmuseum. “Still undiscovered species of the same family must have migrated to deeper waters at some point in time.”

Nowadays, hermit crabs predominantly use a snail shell as a shelter when the shell comes available after the death of the snail. When the extinct ammonites were still around in the Cretaceous period, they also would use their shell sometimes.

“We are not sure what the fossil hermit crabs from Spain used as a protection because snail and ammonite shells are extremely rare in the quarry,” Klompmaker said. “They may have relied on the additional protection provided by the branching corals, as hermit crabs are rare in rocks from the same quarry that contain few corals.”

According to Klompmaker, fossil shields of hermit crabs are much rarer than those of true crabs, which are a separate group within the decapod crustaceans. Today, less than a dozen of these shields are known and a great deal of information concerning the evolution of this group remains undiscovered.

Kent State researchers recently discovered the oldest fossil shrimp known to date in the world. “Kent State is the one of the leading universities in the world studying fossil decapod crustaceans, such as crabs, lobsters,

shrimp, and hermit crabs,” Klompmaker said.

Provided by Kent State University

Citation: Mesoparapylocheles michaeljacksoni: Fossil hermit crab named after Michael Jackson (2012, January 19) retrieved 22 June 2024 from

<https://phys.org/news/2012-01-mesoparapylocheles-michaeljacksoni-fossil-hermit-crab.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.