


New microtweezers may build tiny 'MEMS' structures

January 17 2012, by Emil Venere



Purdue researchers have created a new type of microtweezers capable of manipulating objects to build tiny structures, print coatings to make advanced sensors, and grab and position live stem cell spheres for research. Credit: Birck Nanotechnology Center

Researchers have created new "microtweezers" capable of manipulating objects to build tiny structures, print coatings to make advanced sensors, and grab and position live stem cell spheres for research.


The microtweezers might be used to assemble structures in microelectromechanical systems, or MEMS, which contain tiny moving parts. MEMS [accelerometers](#) and [gyroscopes](#) currently are being used in commercial products. A wider variety of [MEMS devices](#), however, could be produced through a manufacturing technology that assembles components like microscopic Lego pieces moved individually into place

with microtweezers, said Cagri Savran (pronounced Chary Savran), an associate professor of mechanical engineering at Purdue University.

"We've shown how this might be accomplished easily, using new compact and user-friendly microtweezers to assemble polystyrene spheres into three-dimensional shapes," he said.

Research findings were detailed in a paper that appeared online in December in the *Journal of Microelectromechanical Systems*, or *JMEMS*. The paper was written by Savran, mechanical engineering graduate students Bin-Da Chan and Farrukh Mateen, electrical and computer engineering graduate student Chun-Li Chang, and biomedical engineering doctoral student Kutay Icoz.

The new tool contains three main parts: a thimble knob from a standard micrometer, a two-pronged tweezer made from silicon, and a "graphite interface," which converts the turning motion of the thimble knob into a pulling-and-pushing action to open and close the tweezer prongs. No electrical power sources are needed, increasing the potential for practical applications. Other types of microtweezers have been developed and are being used in research. However, the new design is simpler both to manufacture and operate, Savran said.



The new microtweezers might be used to assemble structures in microelectromechanical systems, or MEMS, which contain tiny moving parts. The researchers have shown how the device can be used to assemble tiny polystyrene spheres, each with a diameter of 40 micrometers, at left, into three-dimensional shapes. The device also might be used to weigh tiny particles by placing them onto the tip of a structure called a microcantilever, at right. (Birck Nanotechnology Center photo)

The design contains a one-piece "compliant structure," which is springy like a bobby pin or a paperclip. Most other microtweezers require features such as hinges or components that move through heat, magnetism or electricity, complex designs that are expensive to manufacture and relatively difficult to operate in various media, he said.

The tweezers make it feasible to precisely isolate individual stem cell spheres from culture media and to position them elsewhere. Currently, these spheres are analyzed in large groups, but microtweezers could provide an easy way to study them by individually selecting and placing them onto analytical devices and sensors.

"We currently are working to weigh single micro particles, individually selected among many others, which is important because precise measurements of an object's mass reveal key traits, making it possible to identify composition and other characteristics," Savran said. "This will now be as easy as selecting and weighing a single melon out of many melons in a supermarket."

That work is a collaboration with the research group of Timothy Ratliff, the Robert Wallace Miller Director of Purdue's Center for Cancer Research.

The microtweezers also could facilitate the precision printing of

chemical or protein dots onto "microcantilevers," strips of silicon that resemble tiny diving boards. The microcantilevers can be "functionalized," or coated with certain chemicals or proteins that attract specific molecules and materials. Because they vibrate at different frequencies depending on what sticks to the surface, they are used to detect chemicals in the air and water.

Generally, microcantilevers are functionalized to detect one type of substance by exposing them to fluids, Savran said. However, being able to microprint a sequence of precisely placed dots of different chemicals on each cantilever could make it possible to functionalize a device to detect several substances at once. Such a sensing technology also would require a smaller sample size than conventional diagnostic technologies, making it especially practical.

The new microtweezers are designed to be attached easily to "translation stages" currently used in research. These stages are essentially platforms on which to mount specimens for viewing and manipulating. Unlike most other microtweezers, the new device is highly compact and portable and can be easily detached from a platform and brought to another lab while still holding a micro-size object for study, Savran said.

The two-pronged tweezer is micromachined in a laboratory called a "clean room" with the same techniques used to create microcircuits and computer chips. The research was based at the Birck Nanotechnology Center in Purdue's Discovery Park.

More information: A Compact Manually Actuated Micromanipulator, Bin-Da Chan, Farrukh Mateen, Chun-Li Chang, Kutay Icoz, and Cagri A. Savran, *Journal of Microelectromechanical Systems*.

ABSTRACT

This letter reports a compact, versatile, and user-friendly

micromanipulator that uses an elastically deformable silicon microtweezer to grab microentities and a micrometer head for rotational manual actuation. The micro-/macroconnection is achieved via a graphite interface that results in a compact and portable design and placement on most translation stages. The system, which can operate in both air and liquid and transport objects between the two media, has a wide range of applications. We demonstrate but a few of them, including in situ construction of microstructures in 3-D, isolation and placement of individual microparticles on designated spots on sensors, on-demand microcontact printing of microparticles, and manipulation of live stem cell spheres. [2011-0237] Index Terms - Microgripper, micromanipulator, microstamping, microtweezer.

Provided by Purdue University

Citation: New microtweezers may build tiny 'MEMS' structures (2012, January 17) retrieved 10 April 2024 from <https://phys.org/news/2012-01-microtweezers-tiny-mems.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
