

## Fused genes tackle deadly Pierce's disease in grapevines

February 20 2012



Expression of a hybrid protein blocks Pierce's disease in a grapevine. The hybrid protein (shown at the bottom right) creates pores in the membrane of the Gramnegative bacterium, Xf, that causes PD. The transgenic grapevine expressing the hybrid protein shows little or no leaf scorching as PD symptom upon Xf infection (top left) whereas the non-transgenic without the hybrid protein shows severe leaf scorching (top right). Credit: Los Alamos National Laboratory

A gene fusion research project led by a University of California, Davis, plant scientist delivers a one-two punch to Pierce's disease, a deadly threat to California's world-renowned wine industry.

The study is set for publication the week of Feb. 20 in the early edition of the <u>Proceedings of the National Academy of Sciences</u>.



"Many disease-causing microbes can evade one defensive action by a host plant, but we believe that most microbes would have difficulty overcoming a combination of two immune-system defenses," said UC Davis plant sciences professor Abhaya Dandekar, the lead researcher.

He and his colleagues tested this hypothesis on *Xylella fastidiosa*, the bacteria responsible for Pierce's disease in <u>grapevines</u>. Strains of the bacteria also attack and damage other <u>host plants</u>, including citrus, stone fruits, almonds, oleander, and certain shade trees, such as oaks, elms, maples and sycamores.

The findings further strengthen UC Davis' standing as a world leader in the science of plant improvement through advances in genetics, genomics, plant breeding and biodiversity.

First noted in California near Anaheim around 1884, Pierce's disease in grapevines is now known to exist in 28 California counties. From 1994 to 2000, the disease destroyed more than 1,000 acres of northern California grapevines, causing \$30 million in damages. There is currently no known cure for Pierce's disease.

In grapevines, *Xylella fastidiosa* is carried from plant to plant by halfinch-long insects known as sharpshooters. The bacteria infect and clog the plant's water-transporting tissue, or xylem. Grapevines with Pierce's disease develop yellow and brown leaves and die within a few years.

To block such infections, the researchers engineered a hybrid gene by fusing together two genes that are responsible for two key functions of the plant's <u>innate immune response</u>: recognizing *Xylella fastidiosa* as a bacterial invader and destroying its <u>outer membranes</u>, causing the bacteria to die.

The researchers then inserted this hybrid gene into grapevines.



They found that sap from plants genetically engineered with the hybrid gene effectively killed *Xylella fastidiosa* in the laboratory. And grapevines engineered to carry the hybrid gene had significantly less leaf scorching and xylem clogging, indicating resistance to Pierce's disease.

Provided by University of California - Davis

Citation: Fused genes tackle deadly Pierce's disease in grapevines (2012, February 20) retrieved 30 April 2024 from <u>https://phys.org/news/2012-02-fused-genes-tackle-deadly-pierce.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.