

12% of marine species in tropical Eastern Pacific threatened

February 24 2012



Twelve percent of marine species surveyed in the Gulf of California, the coasts of Panama and Costa Rica and the five offshore oceanic islands and archipelagos in the tropical eastern Pacific are threatened with extinction, according to a study by IUCN (International Union for Conservation of Nature) and its partners. Main threats to the region's marine flora and fauna include over-fishing, habitat loss and increasing impacts from the El Nino Southern Oscillation.

Released this week, the study is the first [IUCN Red List of Threatened Species](#) assessment available for all known species of marine shore-fish, marine mammals, [sea turtles](#), [sea birds](#), corals, mangroves and seagrasses in a major marine biogeographic region. The analysis identifies specific geographic zones where [conservation](#) efforts are needed most, including

around the mouth of the [Gulf of California](#) and the coastlines of Panama and Costa Rica, while also identifying the nature and location of the greatest dangers to marine life.

"Understanding species vulnerability to major threats is paramount for determining how species and [marine environments](#) are likely to respond to one or more simultaneous threats," says Beth Polidoro, Research Associate, IUCN [Marine Biodiversity](#) Unit, and lead author of the study. "Identification of threatened species and patterns of threat in the tropical eastern Pacific region can help guide local and regional marine conservation priorities for biodiversity conservation, as well as serve to inform policy."

In recent years, at least 20 marine species have gone extinct around the world, and more than 133 local populations of marine species have suffered a similar fate. These include the disappearance of the endemic Galapagos Damsel (Azurina eupalama) during the events of El Niño from 1982-1983. Drastic declines have also been documented across several marine groups, including many populations of commercial fish, coral reef fish, reef-building corals, mangroves, and seagrasses. Two commercial marine fish, the Totoaba (Totoaba macdonaldi) and the Giant Sea Bass (Stereolepis gigas) are listed as Critically Endangered, and were once common in the waters of southern California and the Gulf of California, Mexico. Both species are extremely desirable for human consumption but have limited ability to cope with severe over-fishing because they have long life spans and the large groups they form when spawning are often targeted by fishers — reducing the chances of rebuilding sustainable populations.

"Saving threatened species is the single most important thing we can do to safeguard ocean health, which benefits millions of people that depend on thriving and productive oceans," says Scott Henderson, Regional Director of Marine Conservation at Conservation International and co-

author of the study. "This new study is a monumental scientific effort which gives governments and support organizations the information needed to focus conservation dollars on the species, places and problems that need help the most."

The findings reinforce that conservation action is needed for both [marine species](#) and the geographic areas where they are most threatened. For example, the creation of a marine protected area around Clipperton Island in the eastern Pacific Ocean should be a high priority, as it has one of the highest proportions of [threatened species](#) in the tropical eastern Pacific, and is the only one of the five oceanic islands and archipelagos in the region that lacks complete governmental protection. Legislation to limit mangrove removal from important fishery nursing grounds along the coasts of Costa Rica and Panama is also vital, according to the study. Additionally, better data collection, reporting and monitoring for both targeted and by-catch fisheries species should be an urgent priority for the improvement of marine conservation efforts throughout the region.

"There are tangible steps that we can take to curtail the risk of extinction of species in the tropical eastern Pacific," says Tom Brooks, NatureServe's Chief Scientist. "For example, for the few fishery [species](#) that are threatened, we must work towards better management on both local and regional scales. We can make a difference, but first we must collect and use the valuable data available."

More information: The paper, "Patterns of extinction risk and threat for marine vertebrates and habitat-forming species in the Tropical Eastern Pacific" has been accepted for publication in *Marine Ecology Progress Series*, www.int-res.com/journals/meps/meps-home/

Provided by Conservation International

Citation: 12% of marine species in tropical Eastern Pacific threatened (2012, February 24)
retrieved 4 May 2024 from

<https://phys.org/news/2012-02-marine-species-tropical-eastern-pacific.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.