

Materials that shrink when heated

February 9 2012



Invar, also known as FeNi36, is an iron-nickel alloy notable for its lack of expansion or contraction with temperature changes.

One common reason that people with fillings experience toothache is that their fillings expand at a different rate to the original tooth when, for example, drinking a hot drink. Contrary to intuition, however, not all materials expand when heated - some actually contract. Recent research on these so-called negative thermal expansion (NTE) materials has led to the discovery of alloys exhibiting unexpectedly large thermal contraction.

Controlling the thermal expansion of composites is important for producing nanometer-scale [electronic circuits](#), as well as the next-generation fuel cells and [thermoelectric devices](#). An ability to combine NTE materials with 'normal' materials which expand upon heating ensures a reduction in thermal expansion in a composite material -

something that people with tooth fillings would appreciate. An example of such a composite is Invar, an iron-nickel alloy with a uniquely low coefficient of thermal expansion. As a result it is used where high dimensional stability is required, such as precision instruments, clocks or seismic creep gauges.

Koshi Takenaka at the Department of [Crystalline Materials](#) Science, Nagoya University in Japan works on NTE materials for practical applications. In the latest issue of *Science and Technology of Advanced Materials* he summarizes the physical mechanisms governing NTE with emphasis on recent developments.

Takenaka notes that, "NTE materials will expand our capability of thermal-expansion control, opening a new paradigm of materials science and technology thermal-expansion-adjustable composites". One challenge facing the scientist is that the addition of NTE materials to composites leads to undesirable instabilities at interfaces. New methods for producing stable interfaces between the host composite and NTE compensators are of critical importance. Nevertheless, the so-called 'one-component' materials - such as manganese antiperovskites, zirconium vanadates, and [hafnium](#) tungstates - exhibiting negligible thermal expansion offer a promising route towards achieving this goal.

More information: 'Negative thermal expansion materials: Technological key for control of thermal expansion' by Koshi Takenaka, *Science and Technology of Advanced Materials* Vol. 13 (2012) 013001. iopscience.iop.org/1468-6996/13/1/013001

Provided by National Institute for Materials Science

Citation: Materials that shrink when heated (2012, February 9) retrieved 21 March 2023 from

<https://phys.org/news/2012-02-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.