

# Nanoparticles used to increase thermal properties of transformer oil

February 1 2012

---



Rice University postdoctoral researcher Tharangattu Narayanan, left, and graduate student Jaime Taha-Tijerina, lead authors of a new ACS Nano paper on nanoparticle-infused transformer oils, show vials of the oils they say are up to 80 percent more efficient in keeping transformers cool. (Credit Jeff Fitlow/Rice University)

Rice University scientists have created a nano-infused oil that could greatly enhance the ability of devices as large as electrical transformers and as small as microelectronic components to shed excess heat.

Research in the lab of Rice materials scientist Pulickel Ajayan, which appears in the American Chemical Society journal *ACS Nano*, could raise the efficiency of such transformer oils by as much as 80 percent in a way that is both cost-effective and environmentally friendly.

The Rice team headed by lead authors Jaime Taha-Tijerina, a graduate student, and postdoctoral researcher Tharangattu Narayanan focused their efforts on transformers for energy systems. Transformers are filled with mineral oils that cool and insulate the windings inside, which must remain separated from each other to keep voltage from leaking or shorting.

The researchers discovered that a very tiny amount of hexagonal boron nitride (h-BN) particles, two-dimensional cousins to carbon-based graphene, suspended in standard transformer oils are highly efficient at removing heat from a system.

"We don't need a large amount of h-BN," Narayanan said. "We found that 0.1 weight percentage of h-BN in transformer oil enhances it by nearly 80 percent."

"And at 0.01 weight percentage, the enhancement was around 9 percent," Taha-Tijerina said. "Even with a very low amount of material, we can enhance the fluids without compromising the electrically insulating properties."

Taha-Tijerina, who was employed by a transformer manufacturer in Mexico before coming to Rice, said others working on similar compounds are experimenting with particles of alumina, [copper oxide](#) and [titanium oxide](#), but none of the compounds has the combination of qualities exhibited by h-BN.

Narayanan said the h-BN particles, about 600 [nanometers](#) wide and up to five atomic layers thick, disperse well in oil and, unlike highly conductive graphene, are highly resistant to electricity. With help from co-author Matteo Pasquali, a Rice professor of chemical and biomolecular engineering and of chemistry, the team determined that the oil's viscosity – another important quality – is minimally affected by the

presence of the nanoparticle fillers.

"Our research shows that with new materials and innovative approaches, we can add enormous value to applications that exist today in industry," said Ajayan, Rice's Benjamin M. and Mary Greenwood Anderson Professor in Mechanical Engineering and Materials Science and of chemistry. "Thermal management is a big issue in industry, but the right choice of materials is important; for transformer cooling, one needs dispersants in oils that take heat away, yet remain electrically insulating. Moreover, the two-dimensional nature of the fillers keeps them stable in oils without settling down for long periods of time."

**More information:** [pubs.acs.org/doi/abs/10.1021/nn203862p](https://pubs.acs.org/doi/abs/10.1021/nn203862p)

Provided by Rice University

Citation: Nanoparticles used to increase thermal properties of transformer oil (2012, February 1)  
retrieved 3 May 2024 from

<https://phys.org/news/2012-02-nanoparticles-thermal-properties-oil.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--