

Newly identified oral bacterium linked to heart disease and meningitis

February 21 2012



These are colonies of *S. tigurinus* on sheep blood agar. Credit: Andrea Zbinden

A novel bacterium, thought to be a common inhabitant of the oral cavity, has the potential to cause serious disease if it enters the bloodstream, according to a study in the *International Journal of Systematic and Evolutionary Microbiology*. Its identification will allow scientists to work out how it causes disease and evaluate the risk that it poses.

The bacterium was identified by researchers at the Institute of Medical Microbiology of the University of Zurich and has been named *Streptococcus tigurinus* after the region of Zurich where it was first recognised. *S. tigurinus* was isolated from blood of patients suffering from endocarditis, meningitis and spondylodiscitis (inflammation of the spine). It bears a close resemblance to other *Streptococcus* strains that

colonise the mouth. Bleeding gums represent a possible route of entry for [oral bacteria](#) into the bloodstream.

The similarity of *S. tigurinus* to other related bacteria has meant that it has existed up until now without being identified. Its recent identification is clinically important, explained Dr Andrea Zbinden who led the study. "Accurate identification of this bacterium is essential to be able to track its spread. Further research must now be done to understand the strategies *S. tigurinus* uses to successfully cause disease. This will allow infected patients to be treated quickly and with the right drug."

Dr Zbinden said that while the discovery of the bacterium is no cause for alarm, it is important that it is recognised and the risk is quantified.

"This bacterium seems to have a natural potential to cause severe disease and so it's important that clinicians and microbiologists are aware of it," she said. "The next step is to work out exactly how common this bacterium is in the [oral cavity](#) and what risk it poses.

Immunosuppression, abnormal heart valves, dental surgeries or [chronic diseases](#) are common predisposing factors for [blood infections](#) by this group of bacteria. However, the specific risk factors for *S. tigurinus* remain to be determined."

More information: Dr Zbinden's paper "Streptococcus tigurinus sp. nov., isolated from blood of patients with endocarditis, meningitis and spondylodiscitis," will be published online ahead of print on Wednesday 22 February in the Society for General Microbiology's *International Journal of Systematic and Evolutionary Microbiology*. Study online: [DOI:10.1099/ijs.0.038299-0](https://doi.org/10.1099/ijs.0.038299-0)

Provided by Society for General Microbiology

Citation: Newly identified oral bacterium linked to heart disease and meningitis (2012, February 21) retrieved 8 August 2024 from

<https://phys.org/news/2012-02-newly-oral-bacterium-linked-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.