


Physicists surprised by disappearing and reappearing superconductivity in iron selenium chalcogenides

February 22 2012



A view of structural unit of high-temperature cuprate- and iron selenide-based superconductors courtesy of Xiao-Jia Chen.

(PhysOrg.com) -- Superconductivity is a rare physical state in which matter is able to conduct electricity -- maintain a flow of electrons -- without any resistance. This phenomenon can only be found in certain materials at low temperatures, or can be induced under chemical and high external pressure conditions. Research to create superconductors at higher temperatures has been ongoing for two decades with the promise of significant impact on electrical transmission. New work from a team including Carnegie's Xiao-Jia Chen and Ho-kwang "Dave" Mao demonstrates unexpected superconductivity in a type of compounds called iron selenium chalcogenides. Their work is published online by *Nature* on February 22.

A superconducting substance's electrical resistance disappears at a critical transition temperature, T_C . The early conventional superconductors had to be cooled to extremely low temperatures—below T_C —in order for electricity to flow freely. Then in the 1980s, scientists discovered a class of relatively high-temperature superconductors. Researchers have continued to study this [phenomenon](#) and look for it in an array of materials. It has been established that [superconductivity](#) can be affected by a substance's crystallographic structure, electronic charge, or the orbit of its electrons.

Recently scientists have discovered superconductivity in iron-based [selenium](#) chalcogenides. Chalcogenides are [compounds](#) that combine an element from group 16 on the periodic table (referring sulfur, selenium, tellurium) with another element, in this case iron. A selenide is a chemical compound containing selenium.

It was known that under pressure iron selenides become superconductors between -406 and -402 degrees Fahrenheit (30-32 K). But the research team, led equally by Liling Sun of the Chinese Academy of Sciences and Xiao-Jia Chen, discovered a second wave of superconductivity can be observed at higher pressures.

Working on an iron-based selenide the team observed a transition temperature that started at -400 degrees Fahrenheit (33 K) under about 16,000 times normal atmospheric pressure (1.6 GPa) and shifts to lower temperatures as the pressure increases, until it vanishes at about 89,000 times atmospheric pressure (9 GPa). But then superconducting reappears at pressures with a [transition temperature](#) of about -373 degrees Fahrenheit at around 122,000 times atmospheric pressure (12.4 GPa).

"These observations highlight the search of high-temperature superconductivity in complex structural and magnetic materials," Chen said. They confirmed these results with a variety of magnetic and

[electrical resistance](#) measurements. They were also able to find reemerging superconductivity in another type of iron-based selenium chalcogenide, under very similar conditions.

They observed that the basic structure of these compounds was not changed under the extreme pressure and thus further research is needed to determine what is happening on a closer structural level.

Chen stated that "our work will likely stimulate a great deal of future study, both experimental and theoretical, in order to clarify what causes this reemergence of superconductivity."

More information: DOI: 10.1038/nature10813

Provided by Carnegie Institution

Citation: Physicists surprised by disappearing and reappearing superconductivity in iron selenium chalcogenides (2012, February 22) retrieved 25 April 2024 from <https://phys.org/news/2012-02-physicists-reappearing-superconductivity-iron-selenium.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--