

UD researchers first to attempt 3D carbon nanotube architectures

February 24 2012, by Karen B. Roberts



Photo by Evan Krape

A team of three University of Delaware mechanical engineering professors, plus researchers from three other academic institutions, are collaborating to develop three-dimensional (3D) carbon nanotube structures.

Both light and strong, <u>carbon</u> nanotubes (CNTs) are considered a revolutionary material with many useful applications due to their unique shape and excellent mechanical, electrical and thermal properties. Over the past 20 years, researchers have explored their use in advanced electronics, optics and <u>structural materials</u> such as composites.

While many scientists have studied carbon <u>nanomaterials</u> in one- and two-dimensional forms for CNTs and graphene, respectively, this is the



first attempt to create and use 3D carbon nanotube solid networks.

Led by Rice University, the \$7.5 million grant from the Department of Defense (DOD) is funded through the Multidisciplinary University Research Initiative (MURI). The project includes teams of researchers from UD, Pennsylvania State University and the University of Texas, Dallas.

Jonghwan Suhr, assistant professor of mechanical engineering, is the UD lead principal investigator on the project. Professors Bingqing Wei and X. Lucas Lu serve as key investigators. Other partners in the research are Boeing, the Wright Patterson Air Force Research Laboratory and the Army Research Laboratory.

Each member of the UD team brings unique knowledge to the project. Suhr's expertise lies in nanocomposites and composite structures, while Lu's knowledge is in biomechanics. Wei specializes in the synthesis of nanomaterials and energy storage. Total funding to UD is \$1 million over five years.

"In order to apply carbon nanotube technology in macroscopic or largescale applications, we must first synthesize and characterize a robust, structurally sound 3D carbon nanotube," explains Suhr.

While challenging, he believes a 3D architecture will make CNTs more versatile and may lead to new applications in lightweight structural materials, energy storage and thermal management.

A key issue impeding their advance is joint failure. <u>CNTs</u> are made from an intricate arrangement of synthetic carbon atoms connected by joints. Transitioning from a one- or two-dimensional architecture to a threedimensional architecture is fundamentally difficult because researchers must introduce atomic-scale junctions or joints between individual



nanoscale elements so that they can be organized in a strong 3D network.

Suhr and his UD colleagues plan to overcome this limitation using novel nanomaterial synthesis techniques and evaluating the new 3D nanomaterial using biomechanics theories typically applied to cartilage or bone.

"Three dimensional carbon nanotubes are porous and viscoelastic, similar to human tissue. While human tissue is a combination of tissue and fluid, carbon nanotubes are a combination of structural material and air," says Lu.

Once created, the UD team will study the nanotube's electro-mechanical response using acoustic emissions, sounds waves made by the structure, to test the strength of the three dimensional architecture. After determining at what load the joint fails, the team can engineer a way to overcome this shortcoming.

"The goal is to create solid materials by the controlled assembly and atomic-scale bonding of nanoscale elements, thereby leading to network solids with remarkably improved thermo-electro-mechanical properties," says Suhr, who is also affiliated with UD's Center for Composite Materials.

If the project is successful, Suhr says, researchers will develop a deeper understanding of the structure-property relations needed to optimize and ultimately commercialize 3D <u>carbon nanotube</u> architectures for industrial applications. Truly interconnected 3D nanostructured materials will also provide exceptional property improvements for applications that support strategic DOD initiatives.

"This prestigious grant offers an excellent opportunity for Jonghwan and his team to create fundamental new breakthroughs in the use of carbon



nanotubes," remarked Anette Karlsson, chair of the Department of <u>Mechanical Engineering</u>.

Provided by University of Delaware

Citation: UD researchers first to attempt 3D carbon nanotube architectures (2012, February 24) retrieved 2 May 2024 from https://phys.org/news/2012-02-ud-3d-carbon-nanotube-architectures.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.