


## Research explores applications for new field of electronics

March 7 2012, by Anne M Stark



Visualization of the probability of finding an excited electron in zinc-oxide in the vicinity of the hole (indicated by the black dot). In order to understand the exciton in this transparent conducting oxide (TCO), the hole is assumed to be localized at an oxygen atom.

(PhysOrg.com) -- By looking at the way electrons are excited, researchers can gain a better understanding of the new field of transparent electronics.

Postdoc Andre Schleife, who works in the Lab's Quantum Simulations Group, developed a new approach to investigate the interplay of excitonic effects and electron doping. (In semiconductor production,



doping intentionally introduces impurities into an extremely pure semiconductor for the purpose of modulating its electrical properties).

These interactions are critical to learning more about transparent conducting oxides (TCOs), which are used in a range of fields including green-energy, intelligent materials or flexible and transparent electronics. Companies like GM, for instance, are currently exploring possible applications for TCOs, such as back seat passenger windows for cars that are displays at the same time. These displays could be used to entertain (games, movies, etc) back seat passengers and also display information about the environment or the city you are driving in.

"Successfully exploiting and eventually tailoring the properties of these unique materials would be analogous to creating 'transparent gold' with a plethora of technical applications," Schleife said. Excitons are the most important pair excitations that occur in several optical spectroscopies of non-metals and molecules and dominate the absorption properties of the TCOs.

While the TCOs are transparent in the visible spectral range (due to large fundamental band gaps), they have to be doped (intentionally or unintentionally) to be conductive. In other words, doping of a semiconductor introduces a large number of <a href="free electrons">free electrons</a> and, therefore, leads to high conductivity.

The field of <u>semiconductor</u> optoelectronics is expected to continue its rapid growth in the future, driven by the demand for efficient photovoltaics or <u>semiconductor lasers</u> for high-bandwidth <u>optical communication</u>.

"The effect of these free carriers on the optical properties is widely unknown," Schleife said. "Dramatic changes are expected in the spectral region, which is the most interesting for applications."



Other researchers include those from Friedrich-Schiller-Universität in Germany and the European Theoretical Spectroscopy Facility.

The paper appears in *Physical Review Letters*.

More information: prl.aps.org/abstract/PRL/v107/i23/e236405

Provided by Lawrence Livermore National Laboratory

Citation: Research explores applications for new field of electronics (2012, March 7) retrieved 25 June 2024 from <a href="https://phys.org/news/2012-03-explores-applications-field-electronics.html">https://phys.org/news/2012-03-explores-applications-field-electronics.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.