

New study of global freshwater scarcity

March 1 2012

A new report published in the online journal *PLoS ONE*, analyzing water consumption in 405 river basins around the world, found that water scarcity impacts at least 2.7 billion people for at least one month each year.

“Freshwater is a scarce resource; its annual availability is limited and demand is growing,” said Arjen Hoekstra, professor in water management at the research institute IGS from the University of Twente and lead author of the report, [Global Monthly Water Scarcity: Blue Water Footprints versus Blue Water Availability](#). “There are many places in the world where serious water depletion takes place: rivers running dry and dropping lake and groundwater levels.”

The new assessment of global water scarcity tracked month-to-month variability in water flows and accounted for the flows needed to sustain critical ecological functions. Through detailed analysis of the total [water consumption](#), or depletion, rather than water withdrawals, the study highlights how the water used to grow crops, sustain industry and provide drinking water has in many places exceeded sustainable levels of water use.

Ninety-two percent of humanity’s total [water footprint](#) is for agriculture, and irrigated agriculture depletes more water than cities and industries. Study co-author Brian Richter, Director of The Nature Conservancy’s Global Freshwater Program, explained, “Cities use more water than crops on a per-area basis, but it's important to note that irrigated agriculture occupies four times as much land as cities do. We need to

help farmers implement state-of-the-science irrigation methods and improve the productivity of rain-fed farms as soon as possible. We are going to have to produce more food with less water.”

Researchers from the University of Twente, Water Footprint Network, The Nature Conservancy and WWF studied river flows in 405 [river basins](#) between 1996-2005. Their analysis showed that 201 river basins supporting 2.67 billion people experienced severe water scarcity during at least one month of the year.

“In places with multiple months of scarcity, they are likely experiencing serious competition for water,” said Richter, “and during droughts they’ll have economic impacts in agriculture, power production or other industries.”

“This assessment gives a more detailed and complete view of the relationship between the water footprint – the amount of water consumed in the production of goods and services – and the growing problems of water scarcity and the resulting environmental, social and economic losses,” said Ruth Mathews, Executive Director of the Water Footprint Network. “Through cooperation between governments, investors, companies, farmers and environmental organizations, we can take direct action to improve the sustainability, efficiency and equitability of water use ensuring that we can feed people and sustain healthy ecosystems in the future.”

Study co-author Ashok Chapagain, Senior Water Advisor at WWF-UK, highlighted the importance of this work to the global conservation targets of WWF. “Annual averages can mask what is really happening in a basin. Visualizing water scarcity month-by-month will help guide water allocations so as to meet social and economic demands, and the needs of rivers themselves.”

The levels of [water](#) scarcity estimated in the report correspond strongly with documented ecological declines and socio-economic disruption in some of the world's most heavily used river basins.

Provided by University of Twente

Citation: New study of global freshwater scarcity (2012, March 1) retrieved 19 April 2024 from <https://phys.org/news/2012-03-global-freshwater-scarcity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.