

# West Antarctic ice shelves tearing apart at the seams

March 27 2012

---




These are rifts along the northern shear margin of Pine Island Glacier (upper right). Credit: Michael Studinger, NASA's Operation IceBridge.

A new study examining nearly 40 years of satellite imagery has revealed that the floating ice shelves of a critical portion of West Antarctica are steadily losing their grip on adjacent bay walls, potentially amplifying an already accelerating loss of ice to the sea.

The most extensive record yet of the evolution of the [floating ice](#) shelves in the eastern Amundsen Sea Embayment in [West Antarctica](#) shows that their margins, where they grip onto rocky bay walls or slower ice masses, are fracturing and retreating inland. As that grip continues to loosen, these already-thinning ice shelves will be even less able to hold back grounded ice upstream, according to glaciologists at The University of Texas at Austin's Institute for Geophysics (UTIG).

Reporting in the [Journal of Glaciology](#), the UTIG team found that the extent of ice shelves in the Amundsen Sea Embayment changed substantially between the beginning of the [Landsat satellite](#) record in 1972 and late 2011. These changes were especially rapid during the past decade. The affected ice shelves include the floating extensions of the rapidly thinning Thwaites and [Pine Island](#) Glaciers.



Pairs of Landsat satellite images showing changes in ice shelf margins in the eastern Amundsen Sea Embayment in West Antarctica between 1972 and 2011. The striping visible in the 2011 images is due to an unrepaired malfunction in the Landsat-7 platform that occurred in 2003. Credit: Joseph MacGregor (University of Texas at Austin/Institute for Geophysics)

"Typically, the leading edge of an ice shelf moves forward steadily over time, retreating episodically when an iceberg calves off, but that is not what happened along the shear margins," says Joseph MacGregor,

research scientist associate and lead author of the study. An iceberg is said to calve when it breaks off and floats out to sea.

"Anyone can examine this region in [Google Earth](#) and see a snapshot of the same [satellite data](#) we used, but only through examination of the whole satellite record is it possible to distinguish long-term change from cyclical calving," says MacGregor.

The shear margins that bound these ice shelves laterally are now heavily rifted, resembling a cracked mirror in [satellite imagery](#) until the detached icebergs finally drift out to the open sea. The calving front then retreats along these disintegrating margins. The pattern of marginal rifting and retreat is hypothesized to be a symptom, rather than a trigger, of the recent glacier acceleration in this region, but this pattern could generate additional acceleration.

"As a glacier goes afloat, becoming an ice shelf, its flow is resisted partly by the margins, which are the bay walls or the seams where two [glaciers](#) merge," explains Ginny Catania, assistant professor at UTIG and co-author of the study. "An accelerating glacier can tear away from its margins, creating rifts that negate the margins' resistance to ice flow and causing additional acceleration."

The UTIG team found that the largest relative glacier accelerations occurred within and upstream of the increasingly rifted margins.

The observed style of slow-but-steady disintegration along ice-shelf margins has been neglected in most computer models of this critical region of West Antarctica, partly because it involves fracture, but also because no comprehensive record of this pattern existed. The authors conclude that several rifts present in the ice shelves suggest that they are poised to shrink further.

**More information:** The article, titled "Widespread rifting and retreat of ice-shelf margins in the eastern Amundsen Sea Embayment between 1972 and 2011", appears in issue #209 of *Journal of Glaciology*.

Provided by University of Texas at Austin

Citation: West Antarctic ice shelves tearing apart at the seams (2012, March 27) retrieved 18 April 2024 from <https://phys.org/news/2012-03-west-antarctic-ice-shelves-seams.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.