

Yes, Australia can save its native woodland birds: study

April 23 2012

Australia has a very good chance of being able to save most of its endangered native woodland birds, the findings of one of the biggest field studies ever conducted in this country suggest.

Researchers from the ARC Centre of Excellence for [Environmental Decisions](#) (CEED), the Commonwealth Government's National Environmental Research Program (NERP) and Australian National University have found that many native birds which were feared headed for extinction have shown remarkable rates of recovery on farms where regrowth and plantings of native trees are flourishing.

In a huge field science effort, the team monitored no fewer than 193 sites on 46 farms across southern NSW over ten years, to study the effect on native birds of different ways of managing native vegetation.

“It’s an extremely encouraging result,” says team leader Professor David Lindenmayer. “We’ve seen a big increase in numbers of rare and endangered birds on farms in southern [Australia](#), despite the drought. It’s really good news, and a true credit to all the farmers who have worked so hard to protect and restore native vegetation.”

The team’s research, published in the online journal *PloS One*, indicates that plantings and regrowth areas, where grazing pressure has been reduced, have seen the biggest return of native birds – compared with ‘old growth’ areas still being heavily grazed.

“We think this is because, in both new planting and regrowth areas, there is an under-storey of young, vigorous trees and shrubs which is attractive to many [woodland birds](#), including rare and endangered species such as the diamond firetail, hooded robin, flame robin and black-chinned honeyeater.

“In heavily-grazed old-growth areas, on the other hand the ground between the trees is more open and less attractive to these types of woodland bird.”

Though some regard them with a jaundiced eye, the scientific evidence suggests both regrowth and new planting areas provide a real lifeline for imperilled [native birds](#). The survey found an average of 29 bird species in new planting areas, 25 in seedling regrowth areas and 20 in areas re-sprouting after fires or land clearing – compared with only 15 bird types in old-growth areas where trees were all mature or ageing.

“This means we now know how to do revegetation of the Australian landscape so that it is both more effective at bringing back native species – and costs less to do,” Prof. Lindemayer says. “There is now good science to say what should and should not be done.

“This calls for farm planning at a whole new level, but the hundreds of farmers who we are working with us are already into this. They are very excited by the results we’ve been seeing.

“For the first time there is a clear measure of the quality of their stewardship of the native landscape, they can see the benefits for themselves – and success is motivating them to try even harder.”

Prof. Lindenmayer says that every land holder who takes part in the research receives a book of practical advice based on the scientific observation of what works – and what doesn’t.

“From the government and taxpayer’s perspective, this finding means our environmental restoration programs can be a lot more cost-effective,” he adds.

The team’s findings suggest that a range of vegetation growth types are likely to be required in a given farmland area to support the diverse array of bird species that inhabit Australian temperate woodland ecosystems.

“Our results also highlight the inherent conservation value of regrowth woodland and suggest that current policies which allow it to be cleared or thinned need to be carefully re-examined,” they say.

More information: The research paper “Not All Kinds of Revegetation Are Created Equal: Revegetation Type Influences Bird Assemblages in Threatened Australian Woodland Ecosystems” by David B. Lindenmayer, Amanda R. Northrop-Mackie, Rebecca Montague-Drake, Mason Crane, Damian Michael, Sachiko Okada and Philip Gibbons appears in the online journal *Plos One*:

www.plosone.org/article/info

%3Adoi%2F10.1371%2Fjournal.pone.0034527

Provided by ARC Centre of Excellence in Coral Reef Studies

Citation: Yes, Australia can save its native woodland birds: study (2012, April 23) retrieved 24 May 2024 from <https://phys.org/news/2012-04-australia-native-woodland-birds.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
