

Wind pushes plastics deeper into oceans, driving trash estimates up

April 25 2012



Pieces of plastic debris found in the oceans are smaller than many people think. Most are measured in millimeters. Credit: Sea Education Association

(Phys.org) -- While working on a research sailboat gliding over glassy seas in the Pacific Ocean, oceanographer Giora Proskurowski noticed something new: The water was littered with confetti-size pieces of plastic debris, until the moment the wind picked up and most of the particles disappeared.

After taking samples of water at a depth of 16 feet (5 meters), Proskurowski, a researcher at the University of Washington, discovered that [wind](#) was pushing the lightweight [plastic particles](#) below the surface. That meant that decades of research into how much [plastic](#) litters the ocean, conducted by skimming only the surface, may in some cases

vastly underestimate the true amount of [plastic debris](#) in the oceans, Proskurowski said.

Reporting in the journal of [Geophysical Research Letters](#) this month, Proskurowski and co-lead author Tobias Kukulka, University of Delaware, said that data collected from just the surface of the water commonly underestimates the total amount of plastic in the water by an average factor of 2.5. In [high winds](#) the volume of plastic could be underestimated by a factor of 27.

"That really puts a lot of error into the compilation of the data set," Proskurowski said. The paper also detailed a new model that researchers and environmental groups can use to collect more accurate data in the future.

Plastic waste in the oceans is a concern because of the impact it might have on the environment. For instance, when fish ingest the plastics, it may degrade their liver functions. In addition, the particles make nice homes for [bacteria](#) and [algae](#), which are then transported along with the particles into different regions of the ocean where they may be invasive and cause problems.



Giora Proskurowski deploys a net collect samples that help estimate how much plastic debris is in the ocean. Credit: Sea Education Association

Proskurowski gathered data on a 2010 North Atlantic expedition where he and his team collected samples at the surface, plus an additional three or four depths down as far as 100 feet.

"Almost every tow we did contained plastic regardless of the depth," he said.

By combining the data with wind measurements, Proskurowski and his co-authors developed a simplified mathematical model that could potentially be used to match historical weather data, collected by satellite, with previous surface sampling to more accurately estimate the amount of plastic in the oceans.

In addition, armed with the new model, organizations and researchers in the future might monitor wind data and combine it with surface collections in order to better estimate how much plastic waste is in our oceans.

"By factoring in the wind, which is fundamentally important to the physical behavior, you're increasing the rigor of the science and doing something that has a major impact on the data," Proskurowski said.

The team plans to publish a "recipe" that simplifies the model so that a wide range of groups investigating ocean plastics, including those that aren't oceanographers, can easily use the model. Following the recipe, which is available now by request, might encourage some consistency among the studies, he said.

"On this topic, what science needs to be geared toward is building confidence that scientists have solid numbers and that policy makers aren't making judgments based on CNN reports," he said. Descriptions of the so-called great Pacific garbage patch in widespread news reports may have led many people to imagine a giant, dense island of garbage while in fact the patch is made up of widely dispersed, millimeter-size pieces of debris, he said.

In the future, Proskurowski hopes to examine additional factors, including the drag of the plastics in water, complex [ocean](#) turbulence and wave height, that might improve the accuracy of the model. He also may have the chance to examine the relationship between wind speed and depth of plastic particles. The 2010 expedition had near-uniform wind conditions so the researchers were unable to test that relationship.

"This is a first pass," he said.

Provided by University of Washington

Citation: Wind pushes plastics deeper into oceans, driving trash estimates up (2012, April 25)
retrieved 23 April 2024 from <https://phys.org/news/2012-04-plastics-deeper-oceans-trash.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.