

Robosquirrels versus rattlesnakes

April 3 2012



Robot squirrels built by UC Davis engineers are being used to study how rattlesnakes and squirrels interact. Credit: Andy Fell, UC Davis

Robot squirrels from the University of California, Davis, are going into rattlesnake country near San Jose, continuing a research project on the interaction between squirrels and rattlesnakes.

In the lab, robot squirrels have shown how squirrels signal to snakes with heat and tail flagging. Through [field experiments](#), researchers from San Diego State University and UC Davis aim to learn more about rattlesnake behavior.

It's not the only use of robots to study animal behavior at UC Davis.

Terry Ord, a former postdoctoral researcher now at Harvard University, used robot lizards to study display behavior by anole lizards in the jungles of Puerto Rico. Gail Patricelli, professor of evolution and ecology, has used a camera-equipped robot [sage grouse](#) hen to study the [mating behavior](#) of these prairie birds.

The collaboration is giving biologists new tools for their work -- and also helping engineers design new and better machines.

The research on the long struggle between California ground squirrels and their main predator, rattlesnakes, began at UC Davis under the leadership of psychology professor Donald Owings, an expert on animal behavior, who died in 2011.

Sanjay Joshi, professor of mechanical and aerospace engineering at UC Davis, built the original "robosquirrels" for Owings, and is now working with Rulon Clark, assistant professor of biology at San Diego State University and an expert on snake behavior.

The research then and now centers on two squirrel behaviors in reaction to rattlesnakes: a tail flagging movement and the warming of the tail. Owings, with Professor Richard Coss and colleagues, observed that when adult squirrels detect a snake, they approach it head-first in an elongated posture, making flagging movements with their tails. Owings and Coss noticed that when confronting a rattlesnake, the squirrels also heated their tails.

Because rattlesnakes can "see" in the infrared, the researchers thought the squirrels might be sending a signal to the snakes. But, with live squirrels, there is no way to separate tail flagging from tail heating.

Enter the robots. Joshi's engineering lab built a squirrel with a heatable tail and a tail flagging mechanism, each controlled separately.



A robot squirrel built at UC Davis is being used by SDSU biologists to test how a rattlesnake reacts to tail-flagging signals. Credit: Rulon Clark, San Diego State University.

Using the robosquirrel, Aaron Rundus, then a graduate student in Owings' lab and now an assistant professor at West Chester University in Pennsylvania, showed that the snakes responded to the heat signal from the squirrel.

"It was the first example of infrared communication in the animal world," Joshi said. That work was published in 2008: an article published in IEEE Robotics & Automation Magazine in December, 2011, summarized much of the work to date.

Fieldwork is more challenging, he said. Ryan Johnson-Masters, a graduate student in Joshi's lab and now at the Sandia National Laboratory in Livermore, built a new robot with smaller and more robust controls that was easier to transport into the field.

The field season is fairly short, a few weeks in late spring and early summer when squirrel pups are born and rattlesnakes come hunting for them.

Then you need to find rattlesnakes in rough country.

"It's definitely an adventure," Joshi said.

Clark began collaborating with Owings and Joshi in 2007. Together, they wrote a grant proposal to the National Science Foundation to take the robosquirrel into the field. The grant was funded with \$390,000 in 2010.

Once the researchers have located a foraging snake, they put down some track, set up the robosquirrel and a video camera to record the scene and retreat behind a blind. The snakes seem to accept the robosquirrel as real, Clark said. One of their videos shows a snake biting the robot's head.

Snakes will rarely strike at a flagging adult squirrel -- and if they do they almost always miss, Clark said.

"Squirrels have a remarkable ability to move out of the way of an oncoming snake strike," he said. Even adult squirrels that do not seem to be aware of a snake will often successfully dodge a strike.

Squirrel pups are much more vulnerable. They have less resistance to snake venom and seem more reckless in their behavior. They show the same displaying behavior as adults, but will get closer to snakes -- sometimes with fatal results.

Although not much is known about the mental abilities of rattlesnakes -- they are not ideal lab animals, after all -- they do behave in the field as if they are making complicated assessments about foraging behavior, Clark said. For example, they react differently to adult squirrels versus pups.

Why do squirrels approach the snakes at all? Clark says that they may be trying to assess the nature of the threat. Sometimes snakes will leave the

area after encounters with squirrels.

Before joining the campus in 2001, Joshi worked at NASA's Jet Propulsion Laboratory on robots for space exploration. At UC Davis, Joshi began working with psychology professors including Owings and Jeffrey Schank. With Schank, he built robots that emulated the behavior of young rat pups -- revealing new insights into both rat behavior and robot design.

"The reason I'm so excited is that with robots we can really change how animal behavior studies are done," Joshi said.

Provided by University of California - Davis

Citation: Robosquirrels versus rattlesnakes (2012, April 3) retrieved 9 April 2024 from <https://phys.org/news/2012-04-robosquirrels-rattlesnakes.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--