

# Earth's water cycle intensifying with atmospheric warming

May 21 2012

---

A clear change in salinity has been detected in the world's oceans, signalling shifts and an acceleration in the global rainfall and evaporation cycle.

In a paper published in the journal *Science*, Australian scientists from the Commonwealth Scientific and Industrial Research Organisation (CSIRO) and the Lawrence Livermore National Laboratory, California, reported changing patterns of salinity in the global ocean during the past 50 years, marking a clear fingerprint of climate change.

Lead author, Dr Paul Durack, said that by looking at observed [ocean salinity](#) changes and the relationship between salinity, [rainfall](#) and [evaporation](#) in climate models, they determined the water cycle has strengthened by four per cent from 1950-2000. This is twice the response projected by current generation global climate models.

"Salinity shifts in the ocean confirm climate and the global water cycle have changed.

"These changes suggest that arid regions have become drier and high rainfall regions have become wetter in response to observed global warming," said Dr Durack, a post-doctoral fellow at the Lawrence Livermore National Laboratory.

With a projected [temperature rise](#) of 3°C by the end of the century, the researchers estimate a 24 per cent acceleration of the water cycle is

possible.

Scientists have struggled to determine coherent estimates of water cycle changes from land-based data because surface observations of rainfall and evaporation are sparse. However, according to the team, global oceans provide a much clearer picture.

"The ocean matters to [climate](#) – it stores 97 per cent of the world's water; receives 80 per cent of the all surface rainfall and; it has absorbed 90 per cent of the Earth's energy increase associated with past atmospheric warming," said co-author, Dr Richard Matear of CSIRO's Wealth from Oceans Flagship.

"Warming of the Earth's surface and lower atmosphere is expected to strengthen the water cycle largely driven by the ability of warmer air to hold and redistribute more moisture."

He said the intensification is an enhancement in the patterns of exchange between evaporation and rainfall and with oceans accounting for 71 percent of the global surface area the change is clearly represented in ocean surface salinity patterns.

In the study, the scientists combined 50-year observed global surface salinity changes with changes from [global climate models](#) and found "robust evidence of an intensified global water cycle at a rate of about eight per cent per degree of surface warming," Dr Durack said.

Dr Durack said the patterns are not uniform, with regional variations agreeing with the 'rich get richer' mechanism, where wet regions get wetter and dry regions drier.

He said a change in freshwater availability in response to [climate change](#) poses a more significant risk to human societies and ecosystems than

warming alone.

"Changes to the global [water cycle](#) and the corresponding redistribution of rainfall will affect food availability, stability, access and utilization," Dr Durack said.

Dr Susan Wijffels, co-Chair of the global Argo project and a co-author on the study, said maintenance of the present fleet of around 3,500 profilers is critical to observing continuing changes to [salinity](#) in the upper oceans.

Provided by CSIRO

Citation: Earth's water cycle intensifying with atmospheric warming (2012, May 21) retrieved 26 April 2024 from <https://phys.org/news/2012-05-earth-atmospheric.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.