


A new accelerator to study steps on the path to fusion

May 8 2012



This is the NDCX-II logo. Credit: Heavy Ion Fusion Science Virtual National Laboratory

The just-completed NDCX-II, the second generation Neutralized Drift Compression Experiment at the U.S. Department of Energy's Lawrence Berkeley National Laboratory (Berkeley Lab), is an unusual special-purpose particle accelerator built by DOE's Heavy Ion Fusion Science Virtual National Laboratory (HIFS VNL), whose member institutions are Berkeley Lab, Lawrence Livermore National Laboratory, and the Princeton Plasma Physics Laboratory.

NDCX-II is a compact machine designed to produce a high-quality, dense beam that can rapidly deliver a powerful punch to a solid target. Research with NDCX-II will make advances in the acceleration, compression, and focusing of intense [ion beams](#) that can inform and

guide the design of major components for heavy-ion [fusion](#) energy production.

"We've reached the official conclusion of the NDCX-II project, which was funded in 2009 with \$11 million from the American Recovery and Reinvestment Act," says Joe Kwan of Berkeley Lab's Accelerator and Fusion Research Division, NDCX-II project director. "Installation of all accelerating and diagnostic modules was completed in April, and we are in the process of integrating the full 27-cell configuration. We'll be commissioning the project in stages as we go forward."

The beam quality of NDCX-II is monitored by measurements of the injected beam after transit through multiple cells. It has the potential to deliver enough power, quickly and evenly, to boost a thin-foil target into the regime of so-called "warm dense matter" before it expands and disintegrates.

"NDCX-II is a textbook example of team science done well," says Suzanne Suskind, Federal Project Director in DOE's Berkeley Site Office. "Scientists and engineers from Berkeley, Livermore, and Princeton worked together seamlessly to achieve this important milestone and fulfill the charge of the American Recovery and Reinvestment Act to help spur further technological advances in science."

The eventual goal of heavy-ion fusion is to produce electrical power with particle accelerators through a process called inertial confinement fusion. Heavy-ion fusion is a particularly promising method of accessing this inherently clean and virtually limitless source of energy, fueled by naturally occurring hydrogen isotopes. There's plenty of practical science to be done along the way to that goal, both in accelerator design and in the physics of the fusion-fuel targets.

The poorly understood realm of warm dense matter is of special interest – called warm because its temperature is measured in thousands of degrees Kelvin instead of the millions of degrees typical of nuclear fusion. Denser than a plasma – a hot gas of electrons and atomic nuclei – but not quite solid, warm dense matter exists in the cores of giant planets and as a way-station on the road to fusion. The rapid heating required to create warm dense matter – and eventually achieve the fusion of a solid-fuel target – requires a very short, very high-current pulse accelerated to the right energy.

NDCX II is an induction accelerator that can handle compact pulses of some 200 billion positively charged lithium ions, shaping each pulse as it is accelerated, and making sure that almost all the ions are delivered to the target within a nanosecond, a mere billionth of a second. But when they start from the injector, the ions are spread out in a 500-nanosecond pulse whose tail is moving slightly faster than its head. During initial acceleration, the overall pulse length shortens to less than 70 nanoseconds.

After further acceleration, the pulse enters a drift tube filled with plasma, which neutralizes the mutually repulsive charge of the positive ions and allows the pulse to compress, as its faster-moving tail closes the final distance to the head while focusing on the target. This process of neutralized drift compression gives the machine its name.

Lawrence Livermore National Laboratory provided the accelerating cells, which were previously used for its Advanced Test Accelerator. They were then modified and rebuilt for NDCX-II at Berkeley Lab. Berkeley Lab also fabricated new diagnostic "intercells" to monitor beam quality in the accelerator. The accelerator is readily reconfigurable by rearranging the cells.

The first several induction cells are powered by long-pulse voltage

generators, but when the pulses become short enough, the accelerating power is supplied by 250,000-volt, pulsed-power sources called Blumleins, also supplied by Livermore. The drift chamber that finally compresses and focuses the beam is equipped with a plasma source provided by the Princeton Plasma Physics Laboratory.

"What makes NDCX-II unique is the ion beam's charged-particle density," says Kwan, "The beam is optimized to deposit most of its energy in the thin target itself, heating it instantly to warm dense matter conditions."

The study begins with thin foil targets, not giant planets, and key aspects of heavy-ion fusion-target physics can be addressed with NDCX-II. Warm dense matter is new territory for understanding a variety of astrophysical phenomena, an important research field in itself. Much closer to home is the preparation for a new generation of power plants on Earth, mimicking the engines of the stars.

More information: For more about NDCX-II and warm dense matter, see phys.org/news/174914869.html

Provided by Lawrence Berkeley National Laboratory

Citation: A new accelerator to study steps on the path to fusion (2012, May 8) retrieved 26 June 2024 from <https://phys.org/news/2012-05-path-fusion.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--