

# Robots learn to pick up oddly shaped objects

May 9 2012, By Bill Steele

---



The universal jamming gripper picking up a pair of tongs. The trick is to decide where to grab.

(Phys.org) -- When Cornell engineers developed a [new type of robot hand](#) that could pick up oddly shaped objects it presented a challenge: It was easy for a human operator to choose the best place to take hold of an object, but an autonomous robot, like the ones we may someday have helping around the home or office, would need a new kind of programming. So they have developed a procedure -- an algorithm -- that allows a robot to learn grasping skills from experience and apply them in new situations.

Although inspired by the "universal jamming gripper" created in the lab



position. But modeling how a deformable bag shapes around irregular objects is too hard to compute, so the researchers adopted a learning approach.

In a 3-D image of the object, the robot examines a series of rectangles that match the size of the gripper and tests each one on a variety of features. The robot is trained on images of many different objects until it has built a library of features common to good grasping rectangles. Presented with a new object, it chooses the rectangle with the highest score based on the rules it has discovered. For example, if a rectangle is divided into three strips and the center strip is higher than the other two, that might be a good place to grab.

The robot also considers the overall size and shape of the object to choose a stable grasping point. You don't want to pick up a heavy, irregular object by one end; but arbitrarily choosing the center may not work either. The "center" of a computer mouse is halfway along the cord.

To test the method the researchers fitted an industrial robot arm with the jamming gripper and a Microsoft Kinect 3-D camera. In trying to pick up 23 objects, including tools, toys and dishes, the robot succeeded an average of 90 percent to 100 percent of the time, depending on the type of object. In most cases, the robot was able to successfully grasp new objects that had not been in the training set. Deformable objects like a shoe or a purse were harder, with the robot averaging only 67 percent success.

They ran the same tests with a simple "pick it up at the center" directive, scoring only 30 percent to 50 percent, except on flat objects, where both approaches tied at 89 percent.

The algorithm also was tested with the standard parallel jaws most

modern robots use, with about the same results, except that the jaws were 100 percent successful in picking up soft, deformable objects. A future robot may need interchangeable hands for different jobs. An extension of their work, the researchers said, might be to include a gripper selection feature.

Provided by Cornell University

Citation: Robots learn to pick up oddly shaped objects (2012, May 9) retrieved 19 April 2024 from <https://phys.org/news/2012-05-robots-oddly.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.