

Scientists discover that Milky Way was struck some 100 million years ago, still rings like a bell

June 28 2012



Credit: Fermilab

(Phys.org) -- Our galaxy, the Milky Way, is a large spiral galaxy surrounded by dozens of smaller satellite galaxies. Scientists have long theorized that occasionally these satellites will pass through the disk of the Milky Way, perturbing both the satellite and the disk. A team of astronomers from Canada and the United States have discovered what may well be the smoking gun of such an encounter, one that occurred close to our position in the galaxy and relatively recently, at least in the cosmological sense.



"We have found evidence that our Milky Way had an encounter with a small galaxy or massive <u>dark matter</u> structure perhaps as recently as 100 million years ago," said Larry Widrow, professor at Queen's University in Canada. "We clearly observe unexpected differences in the Milky Way's stellar distribution above and below the Galaxy's midplane that have the appearance of a vertical wave -- something that nobody has seen before."

The discovery is based on observations of some 300,000 nearby Milky Way stars by the Sloan Digital Sky Survey. Stars in the disk of the Milky Way move up and down at a speed of about 20-30 kilometers per second while orbiting the center of the galaxy at a brisk 220 kilometers per second. Widrow and his four collaborators from the University of Kentucky, the University of Chicago and Fermi National Accelerator Laboratory have found that the positions and motions of these nearby stars weren't quite as regular as previously thought.

"Our part of the Milky Way is ringing like a bell," said Brian Yanny, of the Department of Energy's Fermilab. "But we have not been able to identify the celestial object that passed through the Milky Way. It could have been one of the small satellite <u>galaxies</u> that move around the center of our galaxy, or an invisible structure such as a dark matter halo."

Adds Susan Gardner, professor of physics at the University of Kentucky: "The perturbation need not have been a single isolated event in the past, and it may even be ongoing. Additional observations may well clarify its origin."

When the collaboration started analyzing the SDSS data on the Milky Way, they noticed a small but statistically significant difference in the distribution of stars north and south of the Milky Way's midplane. For more than a year, the team members explored various explanations of this north-south asymmetry, such as the effect of interstellar dust on



distance determinations and the way the stars surveyed were selected. When those attempts failed, they began to explore the alternative explanation that the data was telling them something about recent events in the history of the Galaxy.

The scientists used computer simulations to explore what would happen if a satellite galaxy or dark matter structure passed through the disk of the Milky Way. The simulations indicate that over the next 100 million years or so, our galaxy will "stop ringing:" the north-south asymmetry will disappear and the vertical motions of stars in the solar neighborhood will revert back to their equilibrium orbits -- unless we get hit again.

The Milky Way is more than 9 billion years old with about 100 billion stars and total mass more than 300 billion times that of the sun. Most of the mass in and around the Milky Way is in the form of dark matter.

Scientists know of more than 20 visible <u>satellite</u> galaxies that circle the center of the Milky Way, with masses ranging from one million to one billion solar masses. There may also be invisible satellites made of dark matter. (There is six times as much dark matter in the universe as ordinary, visible matter.) Astronomers' computer simulations have found that this invisible matter formed hundreds of massive structures that move around our Milky Way.

Because of their abundance, these dark matter satellites are more likely than the visible <u>satellite galaxies</u> to cut through the <u>Milky Way</u>'s midplane and cause vertical waves.

"Future astronomical programs, such as the space-based Gaia Mission, will be able to map out the vertical perturbations in our galaxy in unprecedented detail," Widrow said. "That will offer a strong test of our findings."



The results have been published in *The Astrophysical Journal Letters*: iopscience.iop.org/2041-8205/7 ... 1-8205_750_2_L41.pdf

Provided by Fermilab

Citation: Scientists discover that Milky Way was struck some 100 million years ago, still rings like a bell (2012, June 28) retrieved 3 May 2024 from <u>https://phys.org/news/2012-06-scientists-milky-struck-million-years.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.