


After ten years of trying, researchers measure distance to starburst galaxy HDF 850.1

June 14 2012, by Bob Yirka




[C II] line emission towards HDF 850.1. Image: *Nature* doi:10.1038/nature11073

(Phys.org) -- Back in 1998, researchers studying submillimeter light emissions in the Hubble Deep Field (long exposures of a portion of the sky taken by Hubble in 1995) discovered something really bright, a galaxy that appeared to be producing stars at an unprecedented rate. Unfortunately, scientists weren't able to figure out how far away it was, which led a few years later to various attempts to measure it, all to no avail. Now, nearly ten years after the effort began, a research team is reporting in their paper published in the journal *Nature* that they have finally met with success and have found that starburst galaxy HDF 850.1 is 12.6 billion light years away from us.

The reason the galaxy wasn't detected by Hubble is because the famous orbiting telescope records ordinary [light](#), which in this case couldn't

reveal the galaxy because it is shrouded in clouds of gas and dust. But because submillimeter light has longer wavelengths, it can be seen just fine here on Earth when the right technology is used. When it was first spotted, researchers were surprised by how bright it was, which past experience has shown implies that it must be spawning new stars at an incredible rate. Subsequent research revealed that the starburst galaxy was producing stars at a rate of 850 per year, a thousand times as many as are formed in our own Milky Way galaxy.



Glimpse into the depths of the universe: The light that we receive from Galaxy HDF850.1 (concentric yellow lines on the right of the image), has travelled 12.5 billion years to reach us. Credit: STScI and NASA

But its distance from us remained a mystery until this new team tried a technique based on the light given off by molecular gases when new stars are formed. Faraway galaxy distances can be measured using the Doppler shift, the change in the frequency of light waves as an object moves farther away from us, which is what's happening in space due to the expansion of the universe. To measure HDF 850.1's distance, the researchers calculated its "redshift" at 5.2, which allowed them to calculate its distance from us and because it's over twelve and a half

billion light years away, that means the light we see today coming from HDF850.1 was emitted just 1.1 billion years after the moment when the Big Bang is believed to have occurred.

Still a mystery is why the galaxy is forming so many [stars](#), the current theory is that it's due to two [galaxies](#) colliding, thus new research will focus on trying to find out if that is the case with HDF 850.1.

More information: The intense starburst HDF 850.1 in a galaxy overdensity at $z \approx 5.2$ in the Hubble Deep Field, *Nature* 486, 233–236 (14 June 2012) [doi:10.1038/nature11073](https://doi.org/10.1038/nature11073)

The Hubble Deep Field provides one of the deepest multiwavelength views of the distant Universe and has led to the detection of thousands of galaxies seen throughout cosmic time¹. An early map of the Hubble Deep Field at a wavelength of 850 micrometres, which is sensitive to dust emission powered by star formation, revealed the brightest source in the field, dubbed HDF 850.1 (ref. 2). For more than a decade, and despite significant efforts, no counterpart was found at shorter wavelengths, and it was not possible to determine its redshift, size or mass^{3, 4, 5, 6, 7}. Here we report a redshift of $z = 5.183$ for HDF 850.1, from a millimetre-wave molecular line scan. This places HDF 850.1 in a galaxy overdensity at $z \approx 5.2$, corresponding to a cosmic age of only 1.1 billion years after the Big Bang. This redshift is significantly higher than earlier estimates^{3, 4, 6, 8} and higher than those of most of the hundreds of submillimetre-bright galaxies identified so far. The source has a star-formation rate of 850 solar masses per year and is spatially resolved on scales of 5 kiloparsecs, with an implied dynamical mass of about 1.3×10^{11} solar masses, a significant fraction of which is present in the form of molecular gas. Despite our accurate determination of redshift and position, a counterpart emitting starlight remains elusive.

[Press release](#)

© 2012 Phys.Org

Citation: After ten years of trying, researchers measure distance to starburst galaxy HDF 850.1 (2012, June 14) retrieved 23 May 2024 from <https://phys.org/news/2012-06-ten-years-distance-starburst-galaxy.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--