

Tin-100 produced in key nuclear physics experiment

June 20 2012



This is a view of the experiment at the GSI from a perspective against the beam direction. The fragments are stopped at the center of a "hedgehog" of 105 liquid nitrogen-cooled gamma ray detectors, where the precise time point of the beta decay and the released decay energy are measured. Credit: Thomas Faestermann / TUM

A few minutes after the Big Bang the universe contained no other elements than hydrogen and helium. Physicists of the Technische Universitaet Muenchen and the Helmholtz Center for Heavy Ion Research have now succeeded in producing tin-100, a very instable yet important element for understanding the formation of heavier elements.



The researchers report on their results in the current edition of the scientific journal *Nature*.

Stable tin, as we know it, comprises 112 nuclear particles – 50 protons and 62 neutrons. The neutrons act as a kind of buffer between the electrically repelling protons and prevent normal <u>tin</u> from decaying. According to the shell model of nuclear physics, 50 is a "magic number" that gives rise to special properties. Tin-100, with 50 protons and 50 neutrons, is "doubly magic," making it particularly interesting for nuclear <u>physicists</u>.

Shooting xenon-124 ions at a sheet of beryllium, the international team headed by physicists from the TU Muenchen, the Cluster of Excellence Origin and Structure of the Universe and the GSI in Darmstadt succeeded in creating tin-100 and analyzing its subsequent decay. Using specially developed particle detectors, they were able to measure the half-life and decay energy of tin-100 and its decay products. Their experiments confirmed that tin-100 has the fastest beta decay of all atomic nuclei, as previously predicted by theoretical physicists.

A repeat of the experiment is slated for the near future at the RIKEN research center in Japan. The beam intensity at RIKEN is higher in the mean time, allowing even more precise measurements. The aim of the research work is to improve the understanding of processes in the formation of heavy elements during explosions on the surface of compact stars. In addition, the researchers hope to draw conclusions on the neutrino mass from the measurements.

More information: Superallowed Gamow-Teller Decay of the Doubly Magic Nucleus Sn-100, Hinke et al., *Nature*, 21. Juni 2012 – <u>DOI:</u> <u>10.1038/nature11116</u>



Provided by Technical University Munich

Citation: Tin-100 produced in key nuclear physics experiment (2012, June 20) retrieved 11 July 2024 from <u>https://phys.org/news/2012-06-tin-key-nuclear-physics.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.