


Unraveling the mysteries of exotic superconductors

June 25 2012



Scientists at the US Department of Energy's Ames Laboratory are using specialized techniques to help unravel the mysteries of iron-based superconductors. As part of an international collaboration, (from left) Kiyul Cho, Ruslan Prozorov and Makariy Tanatar found that magnetism may be helping or even responsible for superconductivity in iron-based superconductors. Credit: Ames Laboratory -- USDOE

In traditional electrical lines, a significant amount of energy is lost while the energy travels from its source to homes and businesses due to resistance. Superconductors, materials that when cooled have zero

electric resistance, have the promise of someday increasing the efficiency of power distribution, but more must still be learned about superconductors before they can be widely used for that purpose.

Scientists at the U.S. Department of Energy's Ames Laboratory are using specialized techniques to help unravel the mysteries of a new type superconductor that was discovered in 2008. Ames Lab physicists were part of an international collaboration that also included scientists at Kyoto University in Japan, University of Illinois at Urbana-Champaign and University of Bristol in the United Kingdom to study the materials.

The group found that magnetism may be helping or even responsible for [superconductivity](#) in iron-based [superconductors](#). The results were published in the June 22 issue of *Science*.

"The first step in designing superconductors for new technologies that will help save energy is better understanding of how superconductors work," says Ruslan Prozorov, who led the team at Ames Lab that also included Kiyul Cho and Makariy Tanatar.

Unfortunately, most conventional measurements of material parameters, such as resistivity, aren't useful in the state of superconductivity. But Prozorov several years ago helped developed a technique to measure how far the [magnetic](#) field penetrates into a superconductor. This length is called the London penetration depth, and it reveals basic information about a material, even in the [superconducting state](#).

"London penetration depth is one of the few quantities we can measure in a superconducting state to learn more about what's going on, so the technique we specialize in here at Ames Laboratory was particularly useful for this research project," said Prozorov, who is also an associate professor of physics and astronomy at Iowa State University. "In this collaboration, we studied a barium-iron-arsenic-phosphorus material at

near zero Kelvin, and our London penetration depth measurements suggested that magnetism is responsible for superconductivity in iron-based superconductors. Typically, magnetism is detrimental to superconductivity, but when it is weakened enough, it might actually be helping."

The international team's research helps answer one of the central questions about how iron-based superconductors work.

"Iron-based superconductors may open the door to new energy technologies," said Prozorov. "But we'll only get there through materials science and understanding the mechanism of superconductivity in these new iron-based materials."

Provided by Ames Laboratory

Citation: Unraveling the mysteries of exotic superconductors (2012, June 25) retrieved 20 March 2024 from <https://phys.org/news/2012-06-unraveling-mysteries-exotic-superconductors.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--