

Voicemail discovered in nature: Insects receive soil messages from the past

June 12 2012



Ragwort plants show to act as phones that insects can even use to store "voicemail messages" in the soil. Credit: Olga Kostenko / NIOO-KNAW

Insects can use plants as 'green phones' for communication with other bugs. A new study now shows that through those same plants insects are also able to leave 'voicemail' messages in the soil. Herbivorous insects store their voicemails via their effects on soil fungi. Researchers from the Netherlands Institute of Ecology (NIOO-KNAW) and Wageningen University (WUR) discovered this unique messaging service in the ragwort plant. The influential journal *Ecology Letters* will soon publish these results.

A few years ago, NIOO scientists discovered that soil-dwelling and aboveground insects are able to communicate with each other using the plant as a telephone. Insects eating plant roots change the chemical



composition of the leaves, causing the plant to release volatile signals into the air. This can convince aboveground insects to select another food plant in order to avoid competition and TO ESCAPE FROM POISONOUS DEFENCE COMPOUNDS in the plant. But the impact doesn't stop there.



Research on insects' voicemail involves following insects feeding on plant leaves. This triggers the plant to react, the soil fungi community to change, and the next generation of plants and insects to pick up the message. Credit: Olga Kostenko / NIOO-KNAW

The new research shows that insects leave a specific legacy that remains in the soil after they have fed on a plant. And future plants growing on that same spot can pick up these signals from the soil and pass them on to other insects. Those messages are really specific: the new plant can tell whether the former one was suffering from leaf-eating caterpillars or from root-eating insects.

"The new PLANTS ARE ACTUALLY DECODING a 'voicemail' message from the past to the next generation of plant-feeding insects, and their enemies," recaps NIOO researcher and first author Olga Kostenko. "The insects are re-living the past." This message from the



past strongly influences the growth and possibly also the behaviour of these bugs. Today's insect community is influenced by the messages from past seasons.



In the greenhouse of the Netherlands Institute of Ecology (NIOO-KNAW) plants and plant-feeding insects are put together to assess their ability to store "voicemail messages" in the soil. Credit: Olga Kostenko / NIOO-KNAW

Kostenko and her colleagues grew ragwort plants in a greenhouse and exposed them to leaf-eating caterpillars or root-feeding beetle <u>larvae</u>. Then they grew new plants in the same soil and exposed them to insects again. "What we discovered is that the composition of fungi in the soil changed greatly and depended on whether the insect had been feeding on roots or leaves," explains Kostenko. "These changes in fungal community, in turn, affected the growth and chemistry of the next batch of plants and therefore the insects on those plants."



Growth and PALATABILITY of new plants in the same soil thus mirrored the condition of the previous plant. In this way, a new plant can pass down the soil legacy or message from the past to <u>caterpillars</u> and their enemies.

"How long are these <u>voicemail messages</u> kept in the soil? That's what I ALSO WOULD LIKE TO KNOW!" adds Kostenko. "We're working on this, and on the question of how widespread this phenomenon is in nature."

More information: <u>onlinelibrary.wiley.com/doi/10 ...</u> 012.01801.x/abstract

Provided by Netherlands Institute of Ecology (NIOO-KNAW)

Citation: Voicemail discovered in nature: Insects receive soil messages from the past (2012, June 12) retrieved 2 May 2024 from https://phys.org/news/2012-06-voicemail-nature-insects-soil-messages.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.