


# Researchers create highly conductive and elastic conductors using silver nanowires

July 12 2012

---



Researchers from North Carolina State University have developed highly conductive and elastic conductors made from silver nanowires. These elastic conductors can be used to develop stretchable electronic devices. Credit: Yong Zhu, North Carolina State University

Researchers from North Carolina State University have developed highly conductive and elastic conductors made from silver nanoscale wires (nanowires). These elastic conductors could be used to develop stretchable electronic devices.

Stretchable [circuitry](#) would be able to do many things that its rigid counterpart cannot. For example, an electronic "skin" could help robots pick up delicate objects without breaking them, and stretchable displays and antennas could make cell phones and other [electronic devices](#) stretch and compress without affecting their performance. However, the first

step toward making such applications possible is to produce conductors that are elastic and able to effectively and reliably transmit [electric signals](#) regardless of whether they are deformed.

Dr. Yong Zhu, an assistant professor of mechanical and [aerospace engineering](#) at NC State, and Feng Xu, a Ph.D. student in Zhu's lab have developed such elastic conductors using silver nanowires.

Silver has very high [electric conductivity](#), meaning that it can transfer electricity efficiently. And the new technique developed at NC State embeds highly conductive silver nanowires in a polymer that can withstand significant stretching without adversely affecting the material's conductivity. This makes it attractive as a component for use in stretchable electronic devices.

"This development is very exciting because it could be immediately applied to a broad range of applications," Zhu said. "In addition, our work focuses on high and stable conductivity under a large degree of deformation, complementary to most other work using silver nanowires that are more concerned with flexibility and transparency."

"The fabrication approach is very simple," says Xu. Silver nanowires are placed on a silicon plate. A [liquid polymer](#) is poured over the [silicon substrate](#). The polymer is then exposed to high heat, which turns the polymer from a liquid into an elastic solid. Because the polymer flows around the silver nanowires when it is in liquid form, the nanowires are trapped in the polymer when it becomes solid. The polymer can then be peeled off the silicon plate.

"Also silver nanowires can be printed to fabricate patterned stretchable conductors," Xu says. The fact that it is easy to make patterns using the silver nanowire conductors should facilitate the technique's use in electronics manufacturing.

When the nanowire-embedded polymer is stretched and relaxed, the surface of the polymer containing nanowires buckles. The end result is that the composite is flat on the side that contains no nanowires, but wavy on the side that contains silver nanowires.

After the nanowire-embedded surface has buckled, the material can be stretched up to 50 percent of its elongation, or tensile strain, without affecting the conductivity of the silver nanowires. This is because the buckled shape of the material allows the nanowires to stay in a fixed position relative to each other, even as the polymer is being stretched.

"In addition to having high conductivity and a large stable strain range, the new stretchable [conductors](#) show excellent robustness under repeated mechanical loading," Zhu says. Other reported stretchable conductive materials are typically deposited on top of substrates and could delaminate under repeated mechanical stretching or surface rubbing.

**More information:** The paper, "Highly Conductive and Stretchable Silver Nanowire Conductors," was published online July 12 in *Advanced Materials*.

Provided by North Carolina State University

Citation: Researchers create highly conductive and elastic conductors using silver nanowires (2012, July 12) retrieved 13 August 2024 from <https://phys.org/news/2012-07-highly-elastic-conductors-silver-nanowires.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.