

# Researchers find links between magnetic field inversions, mantle convection and tectonics

#### July 29 2012

On a time scale of tens to hundreds of millions of years, the geomagnetic field may be influenced by currents in the mantle. The frequent polarity reversals of Earth's magnetic field can also be connected with processes in the mantle. These are the research results presented by a group of geoscientists in the new advance edition of *Nature Geoscience* on July 29, 2012. The results show how the rapid processes in the outer core, which flows at rates of up to about one millimeter per second, are coupled with the processes in the mantle, which occur more in the velocity range of centimeters per year.

The international group of scientists led by A. Biggin of the University of Liverpool included members of the GFZ German Research Centre for Geosciences, the IPGP Paris, the universities of Oslo and Utrecht, and other partners.

It is known that the Earth's magnetic field is produced by convection currents of an electrically conducting iron-nickel alloyin the <u>liquid core</u>, about 3,000 kilometers below the earth's surface. The <u>geomagnetic field</u> is highly variable, there are changes in Earth's magnetic field on a multitude of spatial and temporal scales. Above the <u>liquid outer core</u> is the <u>mantle</u>, the rock in which behaves plastically deformable due to the intense heat and high pressure. At the boundary between Earth's core and mantle at 2900 km depth there is an intense heat exchange, which is on the one hand directed from the Earth's core into the mantle. On the



other hand, processes within Earth's mantle in turn also affect the heat flow. The interesting question is how the much slower flow in the solid mantle influences the heat flow and its <u>spatial distribution</u> at the coremantle boundary, and how this will affect the Earth's magnetic field which is produced due to the much faster currents in the Earth's core.

## Key variable heat transfer

"The key variable is the heat flow. A cooler mantle accelerates the flow of heat from the hot core of the Earth, and in this way alters the also heatdriven convection in the Earth's core", said Bernhard Steinberger of the GFZ <u>German Research Centre</u> for Geosciences. "Ocean floor sinking into the mantle due to tectonic processes can lead to cooling in the mantle. They cause at these sites an increased <u>heat flow</u> into the cooler parts, namely until they have been heated to the ambient temperature." That might take several hundred million years, however.

Conversely, the hot core of the Earth leads to the ascent of heated rocks in form of large bubbles, so-called mantle plumes that separate from the core-mantle boundary and make their way up to the surface of the earth. This is how Hawaii came into existence. This increases the local heat flux out of the earth's core and in turn modifies the generator of the geomagnetic field.

#### **Reversals of the magnetic field**

In the Earth's history, polarity reversals of the geomagnetic field are nothing extraordinary. The most recent took place only 780 000 years ago, geologically speaking a very short period of time. The research team was able to determine that in the period of 200 to 80 million years before present, reversals initially happened more often, namely up to ten times in hundred million years. "Surprisingly, these reversals stopped



about 120 million years ago and were absent for nearly 40 million years," explains GFZ scientist Sachs. Scientists presume that the reason for this is a concurrent reorientation of the whole mantle and crust with a shift in the geographic and magnetic poles of about 30°. Known as "true polar wander", thisprocess is caused by a change in density distribution in the mantle. If it increases the heat flux in equatorial regions, it would presumably lead to more frequent field reversals, if it decreases it, the field reversal might not occur.

## Looking to the future

According to current knowledge, therefore, an influence of plate tectonics and mantle convection on the Earth's magnetic field seems quite possible. The article also shows, however, that further research is still needed for a better understanding of these relationships. In particular, more episodes of "true polar wander" should be derived from paleomagnetic data, and it should be determined whether these are usually associated with an altered behavior of the <u>magnetic field</u> (e.g. frequency of field reversal). Also, future models for the generation of the geomagnetic field should investigate the influence of the spatial and temporal variation of the heat flux at the core-mantle boundary in more detail.

**More information:** J. Biggin et al., "Possible links between long-term geomagnetic variations and whole-mantle convection processes", *Nature Geoscience*, Vol. 5, August 2012, <u>doi:10.1038/NGEO1521</u>

Provided by Helmholtz Association of German Research Centres

Citation: Researchers find links between magnetic field inversions, mantle convection and tectonics (2012, July 29) retrieved 2 May 2024 from <u>https://phys.org/news/2012-07-links-</u>



magnetic-field-inversions-mantle.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.