

# NASA hypersonic inflatable tech test set for Virginia launch July 21

July 18 2012

---

(Phys.org) -- NASA Space Technology Program researchers will launch and deploy a large inflatable heat shield aboard a rocket travelling at hypersonic speeds this weekend during a technology demonstration test from the agency's Wallops Flight Facility on Wallops Island, Va.

NASA has four consecutive days of [launch](#) opportunities for the agency's Inflatable Re-entry Vehicle Experiment (IRVE-3), starting July 21, with the liftoff window from 6 a.m. to 8 a.m. EDT each day.

The test is designed to demonstrate lightweight, yet strong, inflatable structures that could become practical tools for exploration of other worlds or as a way to return items safely to Earth from the [International Space Station](#). During this [technology demonstration](#) test flight, NASA's IRVE-3 payload will try to re-enter Earth's atmosphere at [hypersonic speeds](#) -- Mach 5, or 3,800 mph to 7,600 mph.

"As we investigate new ways to bring cargo back to Earth from the International Space Station and innovative ways to land larger payloads safely on Mars, it's clear we need to invest in new technologies that will enable these goals," said Michael Gazarik, director of NASA's Space Technology Program. "IRVE-3 is precisely the sort of cross-cutting technology NASA's Space Technology Program should mature to make these future NASA and commercial space endeavors possible."

The IRVE-3 experiment will fly aboard a three-stage Black Brant XI launch vehicle for its suborbital flight. The payload and the [heat shield](#),

which looks like a large, uninflated cone of inner tubes, will be packed inside the rocket's 22-inch-diameter nose cone. About six minutes after launch, the rocket will climb to an altitude of about 280 miles over the Atlantic Ocean.

At that point, the 680-pound IRVE-3 will separate from the rocket. An inflation system similar to air tanks used by scuba divers will pump [nitrogen gas](#) into the IRVE-3 [aeroshell](#) until it becomes almost 10 feet in diameter. Instruments on board, including [pressure sensors](#) and heat flux gauges, as well as cameras, will provide data to engineers on the ground of how well the inflated heat shield performs during the force and heat of entry into Earth's atmosphere.

After its flight, IRVE-3 will fall into the Atlantic Ocean about 350 miles down range from Wallops. From launch to splash down, the flight is expected to take approximately 20 minutes.

"We originally came up with this concept because we'd like to be able to land more mass and access higher altitudes on Mars," said Neil Cheatwood, IRVE-3 principal investigator at NASA's Langley Research Center in Hampton, Va. "To do so you need more drag. We're seeking to maximize the drag area of the entry system. We want to make it as big as we can. The limitation with current technology has been the launch vehicle diameter."

Cheatwood and a team of NASA engineers and technicians have spent the last three years addressing the technical challenges of materials withstanding the heat created by atmospheric entry and preparing for the IRVE-3 flight. The team has studied designs, assessed materials in laboratories and wind tunnels, and subjected hardware to thermal and pressure loads beyond what the inflatable spacecraft technology should face during flight.

This test is a follow on to the successful IRVE-2, which showed an [inflatable heat shield](#) could survive intact after coming through Earth's atmosphere. IRVE-3 is the same size as IRVE-2, but has a heavier payload and will be subjected to a much higher reentry heat.

IRVE-3 is part of the Hypersonic Inflatable Aerodynamic Decelerator (HIAD) Project within the Game Changing Development Program, part of NASA's [Space Technology](#) Program. Langley developed and manages the IRVE-3 and HIAD projects.

Provided by NASA

Citation: NASA hypersonic inflatable tech test set for Virginia launch July 21 (2012, July 18) retrieved 19 April 2024 from <https://phys.org/news/2012-07-nasa-hypersonic-inflatable-tech-virginia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.