


# First photo of shadow of single atom

July 3 2012

---




In an international scientific breakthrough, a Griffith University research

team has been able to photograph the shadow of a single atom for the first time.

"We have reached the extreme limit of microscopy; you can not see anything smaller than an atom using [visible light](#)," Professor Dave Kielpinski of Griffith University's Centre for [Quantum Dynamics](#) in Brisbane, Australia.

"We wanted to investigate how few [atoms](#) are required to cast a shadow and we proved it takes just one," Professor Kielpinski said.

Published this week in *Nature Communications*, "[Absorption](#) imaging of a single atom "is the result of work over the last 5 years by the Kielpinski/Streed research team.



At the heart of this Griffith University achievement is a super high-resolution microscope, which makes the shadow dark enough to see.

No other facility in the world has the capability for such extreme [optical imaging](#).

Holding an atom still long enough to take its photo, while remarkable in itself, is not new technology; the atom is isolated within a chamber and held in [free space](#) by electrical forces.

Professor Kielpinski and his colleagues trapped single atomic ions of the element ytterbium and exposed them to a specific frequency of light. Under this light the atom's shadow was cast onto a detector, and a digital camera was then able to capture the image.

"By using the ultra hi-res microscope we were able to concentrate the image down to a smaller area than has been achieved before, creating a darker image which is easier to see", Professor Kielpinski said.

The precision involved in this process is almost beyond imagining.

"If we change the frequency of the light we shine on the atom by just one part in a billion, the image can no longer be seen," Professor Kielpinski said.

Research team member, Dr Erik Streed, said the implications of these findings are far reaching.

"Such experiments help confirm our understanding of [atomic physics](#) and may be useful for quantum computing," Dr Streed said.

There are also potential follow-on benefits for biomicroscopy.

"Because we are able to predict how dark a single atom should be, as in how much light it should absorb in forming a shadow, we can measure if the microscope is achieving the maximum contrast allowed by physics."

"This is important if you want to look at very small and fragile biological samples such as DNA strands where exposure to too much UV light or x-rays will harm the material.

"We can now predict how much light is needed to observe processes within cells, under optimum [microscopy](#) conditions, without crossing the

threshold and destroying them."

And this may get biologists thinking about things in a different way.

"In the end, a little bit of light just might be enough to get the job done."

Provided by Griffith University

Citation: First photo of shadow of single atom (2012, July 3) retrieved 27 April 2024 from <https://phys.org/news/2012-07-photo-shadow-atom.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.