

# Climate change stories from the abyss

August 29 2012

---



An international team of scientists have shed new light on the world's history of climate change.

The Pacific Ocean has remained the largest of all oceans on the planet for many million years. It covers one third of the Earth's surface and has a mean depth of 4.2 km. Its biologically productive equatorial regions play an important role particularly to the [global carbon cycle](#) and long-term [climate](#) development.

During a four-month expedition of the Integrated [Ocean Drilling Programme](#) (IODP) on board the US [drilling vessel](#) JOIDES Resolution an international team of more than 100 scientists and technicians recovered 6.3 kilometers of sediment cores from water depths between

4.3 and 5.1 km and drilled 6.3 km of sediment cores at eight locations.

The cores offered an excellent archive of Earth's history and showed how [global climate](#) development during the past 55 million years is mirrored and influenced by geochemical processes deep within the ocean.

The findings are published in the latest edition of *Nature*.

Professor Heiko Pälike, of the University of Southampton and National Oceanography Centre, Southampton was co-chief scientist of the cruise and lead author of the *Nature* study.

He explains: "Nowadays we often discuss global warming induced by man-made carbon dioxide. However, on geological timescales of millions of years other processes determine the carbon cycle."

Volcanoes are one major source of carbon dioxide input to the atmosphere. On the other hand the [greenhouse gas](#) is removed by weathering of rocks made up of carbonate.

"The overall balance of these processes is reflected in the [deep ocean's](#) carbonate compensation depth, the CCD," the MARUM scientist continues.

"This invisible surface is defined as the depth in the oceans at which the [mineral calcite](#) is dissolved. Hardly any biological remains made from carbonate below the CCD, for example chalk and [microscopic plankton](#), are preserved. Instead the sediment that consists mostly of clay and plankton remains made from silica.

"The interesting point in our study is that the carbonate boundary is fluctuating over time. It shallows during periods of warm climate and

normally deepens when ice age conditions prevail."

In the study, Professor Pälike and co-workers demonstrate that in the equatorial Pacific the CCD was at 3.3 to 3.6km 55 million years ago. Between 52 and 47 million years ago, when very warm climate conditions prevailed, the CCD leveled up to 3 km. 34 million years ago, when the Earth slowly but steadily cooled and the first ice domes formed in Antarctica the CCD went down too. 10.5 million years ago it reached 4.8 km.

The cores drilled during the expedition strikingly demonstrate that the interplay of climate development and carbon cycle was not a one-way street at all.

"From 46 to 34 million years ago, when Earth turned into a permanent icehouse, our record reveals five intervals during which the CCD fluctuated upwards and downwards in the range of 200 and 900 metres," Professor Pälike says. "These events, that often mirror warming and cooling phases, persisted between 250,000 and one million years."

Similar episodes were registered in the [sediment cores](#) for later parts of the Earth's history. 18.5 million years ago the CCD moved upward about 600 metres – only to sink down to 4.7 km 2.5 million years later. Today, the Pacific carbonate compensation depth is at 4.5 km.

**More information:** To access more data and information from the Pacific Equatorial Age Transect (PEAT) expeditions, please see: [publications.iodp.org/proceedi... 320\\_321/32021toc.htm](http://publications.iodp.org/proceedi...320_321/32021toc.htm)

The paper, titled "A Cenozoic record of the equatorial Pacific carbonate compensation depth," appears in the August 30, 2012 issue of the journal Nature. (doi:10.1038/nature11360)

Provided by University of Southampton

Citation: Climate change stories from the abyss (2012, August 29) retrieved 19 April 2024 from <https://phys.org/news/2012-08-climate-stories-abyss.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.