

Earth still absorbing about half carbon dioxide emissions produced by people: study

August 1 2012



Earth's carbon sinks have doubled their uptake in past 50 years, lessening the warming impacts on Earth's climate even as CO2 emissions have quadrupled. It's unclear how long this trend can continue, say scientists involved in study led by CU-Boulder. Credit: Global Campaign for Climate Action, Alfred Palmer

Earth's oceans, forests and other ecosystems continue to soak up about half the carbon dioxide emitted into the atmosphere by human activities, even as those emissions have increased, according to a study by University of Colorado and NOAA scientists to be published August 2 in the journal *Nature*.

The scientists analyzed 50 years of global carbon dioxide (CO2) measurements and found that the processes by which the planet's oceans and ecosystems absorb the greenhouse gas are not yet at capacity.

"Globally, these carbon dioxide 'sinks' have roughly kept pace with



emissions from human activities, continuing to draw about half of the emitted CO2 back out of the atmosphere. However, we do not expect this to continue indefinitely," said NOAA's Pieter Tans, a climate researcher with NOAA's <u>Earth System</u> Research Laboratory in Boulder, Colo., and co-author of the study. The University of Colorado's Ashley Ballantyne is lead author.



As carbon emissions by human activities have increased (purple), some carbon has stayed in the atmosphere (red) and some has been absorbed by natural "sinks" on land and in the oceans (blue). Natural sinks, including land ecosystems and the oceans, remove about half of the carbon emitted by human activities back out of the atmosphere. Note: The graph depicts carbon accumulation, which is proportional to carbon dioxide accumulation. Credit: NOAA illustration

Carbon dioxide is emitted into the atmosphere mainly by <u>fossil fuel</u> <u>combustion</u> but also by <u>forest fires</u> and some natural processes. The gas can also be pulled out of the atmosphere into the tissues of growing plants or absorbed by the waters of Earth's oceans. A series of recent studies suggested that natural sinks of carbon dioxide might no longer be keeping up with the increasing rate of emissions. If that were to happen,



it would cause a faster-than-expected rise in <u>atmospheric carbon dioxide</u> and projected <u>climate change impacts</u>.

Ballantyne, Tans and their colleagues saw no faster-than-expected rise, however. Their estimate showed that overall, oceans and <u>natural</u> <u>ecosystems</u> continue to pull about half of people's <u>carbon dioxide</u> <u>emissions</u> out of the atmosphere. Since emissions of CO2 have increased substantially since 1960, Ballantyne said, "Earth is taking up twice as much CO2 today as it was 50 years ago."

The rest continues to accumulate in the atmosphere, where it is likely to accelerate global warming.

This new global analysis makes it clear that scientists do not yet understand well enough the processes by which ecosystems of the world are removing CO2 from the atmosphere, or the relative importance of possible sinks: regrowing forests on different continents, for example, or changing absorption of carbon dioxide by various <u>ocean</u> regions.

"Since we don't know why or where this process is happening, we cannot count on it," Tans said. "We need to identify what's going on here, so that we can improve our projections of future CO2 levels and how climate change will progress in the future."

Tans, Ballantyne and colleagues at the University of Colorado, including the Cooperative Institute for Research in Environmental Sciences, dissected the long-term records of CO2 levels measured by NOAA and the Scripps Institution of Oceanography at remote sites around the world, including the top of a mountain in Hawaii and the South Pole. Those CO2 levels reflect global averages of the <u>greenhouse gas</u>, which are affected by natural cycles as well as people's activities.

The researchers also scrutinized national and international inventories or



bookkeeping estimates of CO2 emissions by people and compared those to the increasing atmospheric levels of the gas.

"The uptake of carbon dioxide by the oceans and by ecosystems is expected to slow down gradually," Tans said. Oceans, for example, are already becoming more acidic as they absorb about a quarter of the <u>carbon dioxide</u> pumped into the air by human activities. "As the oceans acidify, we know it becomes harder to stuff even more CO2 into the oceans," Tans said. "We just don't see a letup, globally, yet.

More information:

Carbon dioxide data and trends: <u>esrl.noaa.gov/gmd/ccgg/trends/</u> The Carbon Cycle: <u>esrl.noaa.gov/gmd/infodata/faq_cat-3.html</u>

Provided by NOAA Headquarters

Citation: Earth still absorbing about half carbon dioxide emissions produced by people: study (2012, August 1) retrieved 1 May 2024 from <u>https://phys.org/news/2012-08-earth-absorbing-carbon-dioxide-emissions.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.