

Study unlocks link between sex and female brain

August 20 2012



These are crystals of pure OIF used at Canadian Light Source protein crystallography beam line. Credit: Yvonne Leduc, U of S

An international team of scientists led by Gregg Adams at the University of Saskatchewan has discovered that a protein in semen acts on the female brain to prompt ovulation, and is the same molecule that regulates the growth, maintenance, and survival of nerve cells.

Male mammals have accessory sex glands that contribute <u>seminal fluid</u> to semen, but the role of this fluid and the glands that produce it are not well understood.

"From the results of our research, we now know that these glands produce large amounts of a protein that has a direct effect on the



female," says Adams, a professor of veterinary biomedical sciences at the Western College of Veterinary Medicine at the U of S.

The work, which appears in the August 20, 2012 issue of the <u>Proceedings of the National Academy of Sciences</u> (*PNAS*), raises intriguing questions about fertility in mammals, including humans.

The team characterized the protein, dubbed ovulation-inducing factor (OIF), that they have found in the semen of all species of mammal they have looked at so far. In the process of discovering its identity, the team compared OIF to thousands of other proteins, including <u>nerve growth factor</u> (NGF) which is found primarily in <u>nerve cells</u> throughout the body.

"To our surprise, it turns out they are the same molecule," Adams says.
"Even more surprising is that the effects of NGF in the female were not recognized earlier, since it's so abundant in seminal plasma."



Gregg Adams with a University of Saskatchewan llama east of Saskatoon, Saskatchewan, Canada. Credit: Liam Richards for the University of Saskatchewan



While OIF/NGF may function differently from animal to animal, it is present in all mammals studied so far, from llamas, cattle and koalas to pigs, rabbits, mice, and humans. This implies an important role in reproduction in all mammals. Just how it works, its role in various species, and its clinical relevance to human infertility are a few of the questions that remain to be answered.

OIF/NGF in the semen acts as a hormonal signal, working through the hypothalamus of the female brain and the pituitary gland. This triggers the release of other hormones that signal the ovaries to release an egg (or eggs, depending on the species).

For this latest study, the team looked at two species: llamas and cattle. Llamas are "induced ovulators," that is, they ovulate only when they have been inseminated. Cows – and humans – are "spontaneous ovulators," meaning that a regular buildup of hormones stimulates the release of an egg.

Using a variety of techniques, the researchers compared OIF and NGF and found them to have the same size and to cause the same effects across species. Work at the Canadian Light Source synchrotron at the U of S confirmed the structure of the molecule.

"The idea that a substance in mammalian semen has a direct effect on the female brain is a new one," Adams explains. "This latest finding broadens our understanding of the mechanisms that regulate ovulation and raises some intriguing questions about fertility."

More information: "The nerve of ovulation-inducing factor in semen," by Marcelo H. Ratto et al. *PNAS*.



Provided by University of Saskatchewan

Citation: Study unlocks link between sex and female brain (2012, August 20) retrieved 12 May 2024 from https://phys.org/news/2012-08-link-sex-female-brain.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.