

NLS helps fine-tune vision of new NASA telescope array

August 6 2012, by Aviva Rutkin



(Phys.org) -- This summer, NASA is deploying NuSTAR, an array of focusing telescopes that will map the sky in the high-energy X-ray region of the electromagnetic spectrum. These maps will allow scientists to study black holes, supernovae, and other cosmic phenomena in greater detail than ever before. But the new telescope array might not have been possible without the high-tech testing at Brookhaven Lab's National Synchrotron Light Source (NSLS).

NSLS is the only location in the country where scientists can do white beam x-ray topography, a type of imaging technique that uses a wide spectrum of x-ray wavelengths. The NuSTAR team needed this technique to look for flaws in the telescopes' detectors.

"Until Aleksey [Bolotnikov of Brookhaven Lab] introduced me to white beam x-ray topography. I could never understand why one detector would work well, while another was junk," said Peter Mao, a Caltech staff scientist. With the help of Stony Brook University beamline scientist Balaji Raghothamachar, Mao used NSLS's x-ray vision to reveal the crucial difference.

NuSTAR uses cadmium-zinc-tellurium (CZT) detectors, a type of room temperature semiconductor, to convert photons, the high-energy light particles emitted by astrophysical objects, into electrons, which can then be recorded and studied. However, the CZT detectors' performance can be affected by different defects, such as impurities or disorientation of the crystal sections.

Using beamline X19C, NSLS's white beam x-ray topography station, the NuSTAR researchers could study CZT crystals in great detail without harming the actual detectors. The amount of information gathered in just 24 hours on the beamline would have taken months by any other method.

By identifying the detectors' defects, the NuSTAR team was able to select and calibrate the best detectors for flight packaging. The first flight took place on June 26.

"This technique was so important for NuSTAR to stay on schedule," Mao said. "I hope that it helps the crystal growers perfect their growing techniques, so that high quality CZT will be more readily available."

This research was funded by [NASA](#) as part of the Small Explorers program.

Provided by Brookhaven National Laboratory

Citation: NSLS helps fine-tune vision of new NASA telescope array (2012, August 6) retrieved 7 June 2023 from <https://phys.org/news/2012-08-nsls-fine-tune-vision-nasa-telescope.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.