


Rare find: Feathered dinosaur feasts on flying food

August 29 2012



Holotype of *Sinocalliopteryx gigas*. Credit: *PLOS ONE* 7(8): e44012.
doi:10.1371/journal.pone.0044012

University of Alberta researchers found evidence that a feathered, but flightless dinosaur was able to snag and consume small flying dinosaurs.

The U of A paleontology team found the fossilized remains of three [flying](#) dinosaurs in the belly of a raptor-like predator called *Sinocalliopteryx*. *Sinocalliopteryx* was about two meters in length and roughly the size of a modern-day wolf.

Sinocalliopteryx's flying meals were three *Confuciusornis*. *Confuciusornis* was one of the earliest birds and had a crude version of a modern bird's skeleton and muscles. The researchers say such primitive birds were probably limited to slow take-offs and short flights.

According to the researchers, this is the first time a predator has been linked to the killing of multiple flying dinosaurs.

Scott Persons, a U of A paleontology student and research coauthor, says *Sinocalliopteryx* may have used stealth to stalk the flyers.

"*Sinocalliopteryx* didn't have wings or the physical tools needed to be an adept tree climber," said Persons.

Persons explains *Sinocalliopteryx* had feathers or hair-like fuzz covering its body creating a level of insulation that helped maintain a warm body temperature and [high metabolism](#) that required a lot of food to fuel.

"The fact that this *Sinocalliopteryx* had, not one, but three undigested [birds](#) in its stomach indicate it was a voracious eater and a very active hunter," said Persons.

This find was made in China's Liaoning province, and U of A researchers analyzed stomach contents of a second *Sinocalliopteryx* [fossil discovery](#) from that area. The researchers identified this *Sinocalliopteryx*'s last meal as a *Sinornithosaurus*, a small feathered meat-

eater about the size of a house cat that may have been able to fly or glide short distances.

"*Sinornithosaurus* is a relative of [Velociraptor](#) which means this is the first direct evidence of a raptor becoming another predatory dinosaur's meal," said Persons.

The research was published Aug. 29 in the journal *PLoS ONE*.

More information: Xing L, Bell PR, Persons WS IV, Ji S, Miyashita T, et al. (2012) Abdominal Contents from Two Large Early Cretaceous Compsognathids (Dinosauria: Theropoda) Demonstrate Feeding on Confuciusornithids and Dromaeosaurids. *PLOS ONE* 7(8): e44012. doi:10.1371/journal.pone.0044012 .
[dx.plos.org/10.1371/journal.pone.0044012](https://doi.org/10.1371/journal.pone.0044012)

Provided by University of Alberta

Citation: Rare find: Feathered dinosaur feasts on flying food (2012, August 29) retrieved 23 April 2024 from <https://phys.org/news/2012-08-rare-feathered-dinosaur-feasts-food.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.