

Scientists produce H₂ for fuel cells using an inexpensive catalyst under real-world conditions

August 23 2012



(Phys.org)—Scientists at the University of Cambridge have produced hydrogen, H₂, a renewable energy source, from water using an inexpensive catalyst under industrially relevant conditions (using pH neutral water, surrounded by atmospheric oxygen, O₂, and at room temperature).

Lead author of the research, Dr Erwin Reisner, an EPSRC research

fellow and head of the Christian Doppler Laboratory at the University of Cambridge, said: "A H_2 evolution catalyst which is active under elevated O_2 levels is crucial if we are to develop an industrial [water splitting](#) process – a chemical reaction that separates the two elements which make up [water](#). A real-world device will be exposed to atmospheric O_2 and also produce O_2 in situ as a result of water splitting."

Although H_2 cannot be used as a 'direct' substitute for gasoline or ethanol, it can be used as a fuel in combination with fuel cells, which are already available in cars and buses. H_2 is currently produced from [fossil fuels](#) and it produces the [greenhouse gas](#) CO_2 as a by-product; it is therefore neither renewable nor clean. A green process such as sunlight-driven water splitting is therefore required to produce 'green and sustainable H_2 '.

One of the many problems that scientists face is finding an efficient and inexpensive catalyst that can function under real-world conditions: in water, under air and at room temperature. Currently, highly efficient catalysts such as the noble metal platinum are too expensive and cheaper alternatives are typically inefficient. Very little progress was made so far with homogeneous catalyst systems that work in water and atmospheric O_2 .

However, Cambridge researchers found that a simple catalyst containing cobalt, a relatively inexpensive and abundant metal, operates as an active catalyst in pH neutral water and under atmospheric O_2 .

Dr Reisner said: "Until now, no inexpensive molecular catalyst was known to evolve H_2 efficiently in water and under aerobic conditions. However, such conditions are essential for use in developing green hydrogen as a future energy source under industrially relevant conditions.

"Our research has shown that inexpensive materials such as cobalt are suitable to fulfil this challenging requirement. Of course, many hurdles such as the rather poor stability of the catalyst remain to be addressed, but our finding provides a first step to produce 'green hydrogen' under relevant conditions."

The results show that the catalyst works under air and the researchers are now working on a solar water splitting device, where a fuel H_2 and the by-product O_2 are produced simultaneously.

Fezile Lakadamyali and Masaru Kato, co-authors of the study, add: "We are excited about our results and we are optimistic that we will successfully assemble a sunlight-driven water splitting system soon."

Their research was published today, 23 August, online in the journal *Angewandte Chemie International Edition*.

Provided by University of Cambridge

Citation: Scientists produce H_2 for fuel cells using an inexpensive catalyst under real-world conditions (2012, August 23) retrieved 1 May 2024 from <https://phys.org/news/2012-08-scientists-h2-fuel-cells-inexpensive.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--