

Scientists discover nerves control iridescence in squid's remarkable 'electric skin'

August 27 2012



Nerves in red can be easily traced among the distinctive chromatophores and iridophores that they innervate. Credit: Wardill, Gonzalez-Bellido, Crook & Hanlon, Proceedings of the Royal Society B: Biological Sciences

Squid's colorful, changeable skin enables the animal—and their close relatives, cuttlefish and octopus—to display extraordinary camouflage, the speed and diversity of which is unmatched in the animal kingdom.

But how squid control their skin's <u>iridescence</u>, or light-reflecting property, which is responsible for the animal's sparkly rainbow of color, has been unknown.

In a new study, MBL (Marine Biological Laboratory) researchers Paloma Gonzalez Bellido and Trevor Wardill and their colleagues report that



nerves in squid skin control the animal's spectrum of shimmering hues—from red to blue—as well as their speed of change. The work marks the first time <u>neural control</u> of iridescence in an invertebrate species has been demonstrated.

Squid skin is extraordinary because it has two ways to produce color and pattern. Pigmented organs called chromatophores create patterns with yellow, red, and brown colors. Underneath the pigments, iridophores, aggregations of iridescent cells in the skin, reflect light and add blue, green, and pink colors to the overall appearance of the skin. Collectively these two groups of skin elements can create spectacular <u>optical illusions</u> with patterns of color, brightness, and contrast change.

"For 20 years we have been wondering how the dynamically changeable iridescence is controlled by the squid," says study co-author Roger Hanlon. "At long last we have clean evidence that there are dedicated <u>nerve fibers</u> that turn on and tune the color and brightness of iridophores. It is not an exaggeration to call this "electric skin." The complex nerve network distributed throughout the squid's skin instantly coordinates tens of thousands of chromatophores with iridescent reflectors for rapidly changing behaviors ranging from camouflage to signaling."



Neurally activated iridescence in squid iridophores. Doryteuthis pealeii have



conspicuous pigmentary chromatophores and underlying structurally colored iridophores. Credit: Wardill, Gonzalez-Bellido, Crook & Hanlon, Proceedings of the Royal Society B: Biological Sciences

Working with longfin inshore squid (*Doryteuthis pealeii*), the researchers took a new approach to investigating the mystery behind the iridophore <u>control mechanism</u>. By tracing a highly branched network of nerves and stimulating them electrically, they found that they could activate progressive color shifts from red and orange to yellow, green, and blue in just 15 seconds. The findings suggest that the specific color of each iridophore, as well as speed of change, is controlled by the nervous system, as is spatial chromatophore patterning that occurs in the skin layer just above.

How squid choose and hold particular skin colors to help camouflage themselves remains unknown and is particularly interesting because the animals are completely colorblind.

"One possibility is the animals do not care about the color of the iridophores, but shifting the color from red to blue will dramatically increase the relative brightness of iridophores," says Wardill. "This is because <u>squid</u> see predominantly blue light. Blue light is especially important in the ocean as it penetrates best into deeper water."

Provided by Marine Biological Laboratory

Citation: Scientists discover nerves control iridescence in squid's remarkable 'electric skin' (2012, August 27) retrieved 2 May 2024 from <u>https://phys.org/news/2012-08-scientists-nerves-iridescence-squid-remarkable.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.