


Chemists develop new technique for nanostructure assembly

October 18 2012, by Donna Hesterman



An artistic rendering of a superparticle formed from self-assembling nanorods.
Credit: Dustin S. LaMontagne

A team of researchers from the University of Florida department of chemistry has developed a new technique for growing new materials from nanorods.

Materials with enhanced properties engineered from nanostructures have the potential to revolutionize the marketplace in everything from data processing to human medicine. However, attempts to assemble [nanoscale objects](#) into sophisticated structures have been largely unsuccessful. The UF study represents a major breakthrough in the field, showing how thermodynamic forces can be used to manipulate growth of [nanoparticles](#) into superparticles with unprecedented precision.

The study is published in the Oct. 19 edition of the journal *Science*.

"The reason we want to put nanoparticles together like this is to create [new materials](#) with collective properties," said Charles Cao, associate professor of chemistry at UF and corresponding author of the study.

"Like putting [oxygen atoms](#) and [hydrogen atoms](#) together in a two-to-one ratio – the synergy gives you water, something with properties completely different from the ingredients themselves."

In the UF study, a synergism of fluorescent nanorods, sometimes used as [biomarkers](#) in [biomedical research](#), resulted in a superparticle with an emission polarization ratio that could make it a good candidate for use in creating a new generation of polarized LEDs, used in display devices like 3-D television.

"The technology for making the single nanorods is well established," said Tie Wang, a postdoctoral researcher at UF and lead author of the study.

"But what we've lacked is a way to assemble them in a controlled fashion to get useful structures and materials."

The team bathed the individual rods in a series of liquid compounds that

reacted with certain hydrophobic regions on the nanoparticles and pushed them into place, forming a larger, more complex particle.

Two different treatments yielded two different products.

"One treatment gave us something completely unexpected—these superparticles with a really sophisticated structure unlike anything we've seen before," Wang said.

The other yielded a less complex structure that Wang, and his colleagues were able to grow it into a small square of polarized film about one quarter the size of a postage stamp.

The researchers said that the film could be used to increase efficiency in polarized LED television and computer screens by up to 50 percent, using currently available manufacturing techniques.

"I've worked in nanoparticle assembly for a decade," said Dmitri Talapin, an associate professor of chemistry at the University of Chicago who was not involved with the study. "There are all sorts of issues to be overcome when assembling building blocks from nanoscale particles. I don't think anyone has been able to get them to self-assemble into superparticles like this before."

"They have achieved a tour-de-force in precision and control," he said.

More information: "Self-Assembled Colloidal Superparticles from Nanorods," by T. Wang et al. *Science*, 2012.

Provided by University of Florida

Citation: Chemists develop new technique for nanostructure assembly (2012, October 18)
retrieved 19 April 2024 from
<https://phys.org/news/2012-10-chemists-technique-nanostructure.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.