


Coal gasification demonstrated

October 23 2012, by Linda Morton



Molten catalytic reactor design. Steam and coal react in a bed of molten alkali salts. Isometric and cutaway views. (Furnace not shown.)

DOE's National Energy Technology Laboratory (NETL) has developed a molten catalytic process for converting coal into a synthesis gas consisting of roughly 20% methane and 80% hydrogen using alkali hydroxides as both gasification catalysts and in situ CO₂ and hydrogen sulfide (H₂S) capture agents. This hydrogen- and methane-rich output from the gasifier could be sent to gas turbines or solid oxide fuel cells in order to generate electricity with CO₂ emissions significantly less than 1.0 lbs of CO₂ per kWh of electricity.

A patent application on this topic has been submitted and a paper entitled "Molten Catalytic Coal Gasification With In Situ Carbon and Sulphur Capture" was published by the Royal Society of Chemistry's

journal *Energy & Environment Science*.

Baseline studies were conducted using no catalyst, weak capture agents (calcium silicate), and a strong in situ capture agent for acid gases (calcium oxide-CaO). Parametric studies were conducted to understand the effects of temperature, pressure, catalyst composition, steam flow rate and the ratio of coal to [alkali](#) hydroxide on the performance of the molten catalytic gasifier in terms of kinetics and syngas composition.

To measure the amount and the rate of coal conversion, the researchers developed a method for quantifying the coal conversion related to the chemical oxygen demand remaining in the coal. This method was necessary because the capture reactions and the water condenser before the mass spectrometer make a real-time elemental balance impossible.

For many different reforming, gasification, and combustion experiments, measuring the change in the chemical oxygen demand of coal/fuel can be a more useful definition of coal/fuel utilization than measuring the change in the weight of the coal/fuel or measuring the change in carbon content of the coal/fuel.

More information: pubs.rsc.org/en/content/article...e21989a#!divAbstract

Provided by US Department of Energy

Citation: Coal gasification demonstrated (2012, October 23) retrieved 23 May 2024 from <https://phys.org/news/2012-10-coal-gasification.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.