

Ensemble work, rather than single-model methodology, might have greater impact for environmental research

October 18 2012



Planning for climate change requires looking at detailed regional information as well as global averages. An international group of researchers evaluated North American climate models for individual and ensemble climate process representations. Credit: 2012 American Meteorological Society



(Phys.org)—An international group of researchers, including Pacific Northwest National Laboratory scientists Dr. L. Ruby Leung and Dr. Yun Qian, constructed a systematic examination of regional-scale climate models and their projections for North America. Using a multimodel ensemble approach, they compared physical climate process models on a regional scale to precipitation and temperature observational data. The controlled baseline data showed that working together, the ensemble results mostly outperformed any single model. The work was featured in the cover story of the October issue of the *Bulletin of the American Meteorological Society*.

Everyone wants to know what will happen to the climate. In the science of climate change, the prediction tool for the future is the climate <u>model</u>, complex computational representations of climate processes such as precipitation and temperature. Like comparing different automobile brands, each climate model may shine for one feature or another and have differing performance measures. To level the playing field in evaluating model outcomes, an international group of researchers collaborated to find a systematic way to evaluate the models' performance. Their results show that working in ensemble may yield better results than any single model alone. Their findings will be important to regional resource managers planning for the future.

The researchers organized the North American Regional <u>Climate</u> <u>Change</u> Assessment Program (NARCCAP) to evaluate temperature and precipitation results from six regional climate models over 1980-2004. For the first time in model assessments over North America, the international team adopted metrics to evaluate specific features of different models. Establishing common protocols in a controlled set of experiments, they came up with a baseline to compare each model's results. Their comparison showed that while no single model stood out, working in ensemble the models often returned the best results compared to observational data. The NARCCAP effort provided a



unique opportunity to systematically compare and evaluate North American regional model data.

These results are the first in a series of planned investigations. The researchers ran the models under current and best conditions, to establish a baseline evaluation. Next steps involve running the models for future scenarios of <u>climate</u> change conditions.

More information: Mearns LO, et al. 2012. "The North American Regional Climate Change Assessment Program: Overview of Phase I Results," *Bulletin of the American Meteorological Society* 93(9):1337-1362. <u>DOI:10.1175/BAMS-D-11-00223.1</u>

Provided by Pacific Northwest National Laboratory

Citation: Ensemble work, rather than single-model methodology, might have greater impact for environmental research (2012, October 18) retrieved 28 June 2024 from <u>https://phys.org/news/2012-10-ensemble-single-model-methodology-greater-impact.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.