

Research shows graphene nanopores can be controlled

October 2 2012



These are transmission electron microscope images of a nanopore in graphene. The original pore on the left grows considerably under the influence of the electron beam. The image on the right is the spore after four minutes at 800 °C. Pores either shrink or grow depending on the temperature and electron beam irradiation.

(Phys.org)—Engineers at the University of Texas at Dallas have used advanced techniques to make the material graphene small enough to read DNA.

Shrinking the size of a graphene pore to less than one nanometer – small enough to thread a $\underline{DNA \text{ strand}}$ – opens the possibility of using graphene as a low-cost tool to sequence DNA.

"Sequencing DNA at a very cheap cost would enable scientists and



doctors to better predict and diagnose disease, and also tailor a drug to an individual's genetic code," said Dr. Moon Kim, professor of materials science and engineering. He was senior author of an article depicted on the cover of the September print edition of *Carbon*.

The first reading, or sequencing, of human DNA by the international scientific research group known as the <u>Human Genome Project</u> cost about \$2.7 billion. Engineers have been researching alternative nanomaterials materials that can thread DNA strands to reduce the cost to less than \$1,000 per person.

It was demonstrated in 2004 that graphite could be changed into a sheet of bonded carbon atoms called graphene, which is believed to be the strongest material ever measured. Because graphene is thin and strong, researchers have searched for ways to control its <u>pore size</u>. They have not had much success. A nanoscale sensor made of graphene could be integrated with existing silicon-based electronics that are very advanced and yet cheap, to reduce costs.

In this study, Kim and his team manipulated the size of the nanopore by using an electron beam from an advanced <u>electron microscope</u> and insitu heating up to 1200 degree Celsius temperature.

"This is the first time that the size of the graphene nanopore has been controlled, especially shrinking it," said Kim. "We used high temperature heating and <u>electron beam</u> simultaneously, one technique without the other doesn't work."

Now that researchers know the pore size can be controlled, the next step in their research will be to build a <u>prototype device</u>.

"If we could <u>sequence DNA</u> cheaply, the possibilities for disease prevention, diagnosis and treatment would be limitless," Kim said.



"Controlling graphene puts us one step closer to making this happen."

Provided by University of Texas at Dallas

Citation: Research shows graphene nanopores can be controlled (2012, October 2) retrieved 1 May 2024 from <u>https://phys.org/news/2012-10-graphene-nanopores.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.