


Tropical Storm Maliksi forms, Iwo To on guard

October 1 2012



This infrared image was created from AIRS data on Oct. 1 at 02:53 UTC (10:53 p.m. EDT, Sept. 30) as Tropical Depression 20W was strengthening into tropical storm Maliksi. Strongest thunderstorms with very cold cloud top temperatures (colder than -63F/-52 C) appear in purple. Credit: NASA JPL/Ed Olsen

The western North Pacific is in full swing, tropically speaking and NASA observed the birth of Tropical Storm Maliksi on Sept. 30. NASA's Aqua satellite captured an infrared image of the storm when it was a depression and revealed a large area of powerful thunderstorms

around its center that hinted at its strengthening.

Tropical Storm Maliksi formed from the twentieth [tropical depression](#) of the western North Pacific typhoon season. Tropical Depression 20W formed on Sept. 20 about 305 nautical miles from Guam near 16.3 North and 149.0 East. It is moving to the north-northwest at 11 knots (12.6 mph/20.3 kph).

On Oct. 1 the depression strengthened into a tropical storm. At 1500 UTC (11 a.m. EDT) it was located near 19.3 North and 145.1 East about 50 nautical miles (57.5 miles/92.6 km) northwest of Pagan, in the Northern Marianas archipelago. It is under the jurisdiction of the Commonwealth of the [Northern Mariana Islands](#). It had [maximum sustained winds](#) near 35 knots (40 mph/65 kph). The Marianas Islands are an arc-shaped [archipelago](#). The island chain includes fifteen volcanic mountains.

When [NASA](#)'s Aqua satellite passed over Tropical Depression 20W in the western North Pacific, it captured an [infrared image](#) with the Atmospheric Infrared Sounder (AIRS) instrument on Oct. 1 at 02:53 UTC (10:53 p.m. EDT, Sept. 30). A large area of powerful thunderstorms with very cold cloud top temperatures (colder than -63F/-52 C) surrounded the center of circulation, hinting that the storm was organizing and strengthening. It became a tropical storm hours after the image was taken.

Maliksi has organized during the morning hours of Oct. 1, with strongest convection (rising air that forms thunderstorms) and bands of thunderstorms over the southeastern quadrant. Those bands of thunderstorms, however, have not yet begun wrapping into the low level center, which is an indication that the storm still has a way to go to get fully organized.

Maliksi is expected to pass Iwo To during October 3 and strengthen into a typhoon on its journey to the northeast.

Provided by NASA's Goddard Space Flight Center

Citation: Tropical Storm Maliksi forms, Iwo To on guard (2012, October 1) retrieved 24 April 2024 from <https://phys.org/news/2012-10-tropical-storm-maliksi-iwo.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.