


Algae held captive and genes stolen in crime of evolution

November 28 2012



Electron micrograph of *Bigelowiella natans*. Credit: Paul Gilson

Microscopic animals held algae captive and stole their genes for energy production, thereby evolving into a new and more powerful species many millions of years ago reveals a new study published today in the journal *Nature*.

The results reveal a 'missing link' in evolution because the tiny animal thieves ([protozoa](#)) couldn't completely hide all evidence of the captive algae, and have been effectively frozen in time and caught in the act by genetic sequencing.

The protozoa captured [genes](#) for photosynthesis- the process of harnessing light to produce energy which is used by all plants and algae

on earth - so the study also provides insight into the origin and repurposing of these genes and may be useful in algae biofuel production.

The work was conducted by an international team of researchers led by Dalhousie University in Canada and included Professor Geoff McFadden from the University of Melbourne.

Professor McFadden from the School of Botany said that scientists had long suspected that quantum leaps of evolution occurred by one organism cannibalizing another, but we did not have much hard evidence.

But when they looked at two specific algae- *Guillardia theta* and *Bigeloviella natans*- the team realized the evolution was not quite complete. They could see that their cells had two [nuclei](#) (like the control centre of the cell that contains DNA). This is unusual because plant and animal cells only have one, so the genes were sequenced to find out more.

"We think that the genes for photosynthesis originally evolved only once about three billion years ago. So all plants, algae and blue green bacteria can produce their own energy from light because they have acquired these genes for photosynthesis," Professor McFadden said.

Like prisoners in Alcatraz, the captive [algae](#) appear to have been nurtured by their enslavers and the precious sugars produced from photosynthesis became a vital part of the protozoan slave keeper's diet. The captives lived inside the protozoan cell and, under the right conditions, the pair gradually became unified as a single organism- a process called endosymbiosis, literally living inside each other.

"We discovered that the captors were initially able to keep many

separate clones of their slaves and occasionally pillage one or two for most of the essential genes. However, at some point in time, the number of captives reduced inside each gaoler to just one individual.

"So if they broke into the alga's cell to steal the last essential genes, they would destroy it in the process and would not then be able to use the genes to run [photosynthesis](#). So the two cells, one captive and one captor, had apparently reached an evolutionary stand-off situation where both are dependent on each other to survive."

Provided by University of Melbourne

Citation: Algae held captive and genes stolen in crime of evolution (2012, November 28)
retrieved 24 April 2024 from
<https://phys.org/news/2012-11-algae-held-captive-genes-stolen.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.