


Fine-tuning galaxies with Herschel and Spitzer

November 19 2012



Still image of Interactive Hubble Tuning Fork.

(Phys.org)—Galaxies come in all shapes and sizes: from those with compact fuzzy bulges or central bars to galaxies with winding spiral arms. Astronomer Edwin Hubble classified these different breeds of galaxies by means of a diagram known as the [Hubble Tuning Fork](#).

The [tuning fork](#) shape presents elliptical galaxies along the handle, and two different populations of spiral galaxies on the fork's 'prongs' to differentiate between spiral galaxies with a central bar, and those

without.

The diagram also describes the shape of the galaxies. [Elliptical galaxies](#) are positioned further along the handle towards the fork depending on how elongated they appear, while spiral galaxies are organised by how tightly wound their arms are.

Of course, there are always exceptions, and a separate class of 'irregular' galaxies conforms to neither group, perhaps as a result of a collision or merging event disrupting their shape.

In this interactive tuning fork diagram, 61 nearby galaxies studied by ESA's Herschel and NASA's Spitzer space telescopes are presented. The galaxies are located 10–100 million light-years from Earth and were surveyed as part of two programmes: the Key Insights on Nearby Galaxies: a Far-[Infrared Survey](#) with Herschel (Kingfish) and the Spitzer Infrared [Nearby Galaxies](#) Survey (Sings).

Rather than stars, the images show dust between them that is gently heated by hot young stars, visible only to heat-seeking [infrared telescopes](#) such as Herschel and Spitzer.

Each individual image is a three-color composite showing warm dust (blue) detected by Spitzer at 24 microns, and cooler dust traced by Herschel at 100 microns (green) and 250 microns (red).

By clicking on each of the galaxies, more information is provided about their classification, distance, size and location in the sky.

The galaxies were chosen to cover a wide range of characteristics to improve our understanding of the processes linking star formation to the local interstellar environment in the nearby Universe.

Provided by European Space Agency

Citation: Fine-tuning galaxies with Herschel and Spitzer (2012, November 19) retrieved 28 April 2024 from <https://phys.org/news/2012-11-fine-tuning-galaxies-herschel-spitzer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.