

Researchers show telomere lengths predict life expectancy in the wild

November 19 2012



A Seychelles Warbler. Credit: University of East Anglia

Researchers at the University of East Anglia have found that biological age and life expectancy can be predicted by measuring an individual's DNA.

They studied the length of chromosome caps - known as 'telomeres' - in a 320-strong wild population of Seychelles [Warblers](#) on a small isolated island.

Published today in *Molecular Ecology*, their research shows that [individuals](#) differ radically in how quickly their telomeres shorten with [age](#), and that having shorter telomeres at any age is associated with an increased risk of death. Telomere length is a better indicator of future [life-expectancy](#) than actual age and may, therefore, be an indicator of

[biological age](#).

The 20-year research project is the first of its kind to measure telomeres across the entire [lifespan](#) of individuals in a wild population.

Telomeres are found at the end of [chromosomes](#). They act as protective caps to stop genes close to the end of the chromosome degenerating – like the hard plastic ends of a boot lace.

Lead researcher Dr David S Richardson said: "Over time these telomeres get broken down and become shorter. When they reach a critical short length they cause the cells they are in to stop functioning. This mechanism has evolved to prevent cells replicating out of control – becoming cancerous. However the flip side is that as these zombie cells build up in our organs it leads to their degeneration - ageing - and consequently to health issues and eventually death.

"Telomeres help safeguard us from cancer but result in our ageing."

Researchers studied the warbler population on Cousin Island. [Blood samples](#) were collected twice a year and telomere length analysed.

"We wanted to understand what happens over an entire lifetime, so the Seychelles Warbler is an ideal research subject. They are naturally confined to an isolated [tropical island](#), without any predators, so we can follow individuals throughout their lives, right through to old age.

"We investigated whether, at any given age, their telomere lengths could predict imminent death. We found that short and rapidly shortening telomeres were a good indication that the bird would die within a year.

"We also found that individuals with longer telomeres had longer life spans overall.

"It used to be thought that telomere shortening occurred at a constant rate in individuals, and that telomere length could act as an internal clock to measure the chronological age of organisms in the wild.

"However while telomeres do shorten with chronological age, the rate at which this happens differs between individuals of the same age. This is because individuals experience different amounts of biological stress due to the challenges and exertions they face in life. Telomere length can be used as a measure of the amount of damage an individual has accumulated over its life.

"We saw that telomere length is a better indicator of life expectancy than [chronological age](#) - so by measuring telomere length we have a way of estimating the biological age of an individual – how much of its life it has used up."

The research is important because while these ideas have been researched in the lab, they have never been tested in a wild environment.

"It would be virtually impossible to do such a study in humans," said Dr Richardson. "For one thing it would take a very long time to study a human lifespan. Also in humans we would normally, quite rightly, intervene in cases of disease, so it wouldn't be a natural study.

"We found that telomeres are linked to body condition and reflect the history of oxidative stress that has occurred within an individual's lifetime. The healthier you are, or have been, the better telomeres you have. But it's hard to know whether this is a consequence of being healthy, or a cause.

"Oxidants attack telomeres. So things like smoking, eating foods that are bad for you, and putting your body through extreme physical or mental stress all have a shortening affect on [telomeres](#).

"All these stresses do damage to our bodies. You hear people saying 'oh they look like they've had a hard life'. This is why. A shortened telomere shows an accumulation of damage life has done to you."

More information: 'Telomere length and dynamics predict mortality in a wild longitudinal study' is authored by Dr David S Richardson and Emma Barrett from the University of East Anglia (UK), Terry Burke from the University of Sheffield (UK), and Jan Komdeur and Martijn Hammers from the University of Gronigen (Netherlands). It is published on November 22 by the journal *Molecular Ecology*.

Provided by University of East Anglia

Citation: Researchers show telomere lengths predict life expectancy in the wild (2012, November 19) retrieved 20 April 2024 from <https://phys.org/news/2012-11-telomere-lengths-life-wild.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.