

Storing gas in vegetables, potential for energy and cost savings

December 11 2012



(Phys.org)—A team led by the University of Liverpool and South China University of Technology is investigating the viability of storing gas in 'bioclathrates' formed from fungi and vegetables.

[Gas storage](#), both short and long term, is an expensive and energy

intensive process, with liquefaction and compression into porous sorbents the two methods under consideration.

Inspired by biomimetic approach

But Professor Andrew Cooper, from the University's Department of Chemistry, and Weixing Wang, from South China University of Technology, inspired by the biomimetic approaches to heavy metal storage and the ability of natural structures to facilitate [gas transport](#), decided to delve deeper.

Clathrate hydrates are a chemical compound of water and gas, where the [gas molecules](#) are trapped inside a crystalline cage of ordered, hydrogen bonded [water molecules](#). They can form with a large number of low molecular weight gases, such as methane and CO₂. But they form very slowly, with high pressures required to force the gas into the water, and low temperatures to form the ice-like structures, making it debatable that the process is more energy efficient than other methods.

Professor Cooper and his team decided to investigate the ability of biological structures, such as fungi and vegetables, to increase the formation rate of clathrate storage without introducing complex mixing technologies.

Mushrooms and aubergines

They found that different [biological structures](#) offer significantly varied levels of gas uptake. Mushrooms and aubergines showed most potential, while tomatoes were unable to achieve clathrate formation.

Prof Andy Cooper said: "Clearly, it would not be desirable to use high-value food materials for gas transport, but there might be abundant, non-

food biomass that can do the same job. This work is currently a long way from practical application, but we hope that it will inspire other scientists to think about this problem in new ways. There is an enormous variety of biomass on the planet, we limited our initial search to the local supermarket."

Provided by University of Liverpool

Citation: Storing gas in vegetables, potential for energy and cost savings (2012, December 11) retrieved 18 April 2024 from

<https://phys.org/news/2012-12-gas-vegetables-potential-energy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.