

NASA compiles Typhoon Bopha's Philippines Rainfall totals from space

December 6 2012



TRMM rainfall totals are shown here from Nov. 28 to Dec. 5, 2012 when typhoon Bopha was moving through the southern Philippines. Typhoon Bopha's track is shown overlaid in white. The heaviest rain, estimated at over 240 mm(~9.4 inches), was located near the coast of eastern Mindanao where the typhoon first hit the island. Rainfall totals of over 100mm (~3.9 inches) were normal over a large area of eastern Mindanao. Credit: NASA/SSAI, Hal Pierce

NASA's Tropical Rainfall Measuring Mission, or TRMM satellite can estimate rainfall rates from its orbit in space, and its data is also used to compile estimated rainfall totals. NASA just released an image showing those rainfall totals over the Philippines, where severe flooding killed several hundred people. Bopha is now a tropical storm in the South



China Sea.

High winds, flooding and landslides from heavy rains with <u>Typhoon</u> Bopha have caused close to 300 deaths in the southern Philippines.



The MODIS instrument aboard NASA's Aqua satellite captured this visible image of Typhoon Bopha moving through the South China Sea on Dec. 6 at 03:00 UTC (10 p.m. EST, U.S, Dec. 5). Credit: NASA Goddard MODIS Rapid Response Team

The TRMM satellite's primary mission is the measurement of rainfall in the tropics. A near-real time Multi-satellite Precipitation Analysis (MPA) using TRMM <u>satellite data</u> was created at the NASA's Goddard Space Flight Center in Greenbelt, Md. the MPA monitors rainfall over the global Tropics. MPA rainfall totals from Typhoon Bopha were compiled for the period from November 28 to December 5, 2012 when typhoon Bopha was moving through the southern Philippines.

The MPA analysis shows that the heaviest rain, estimated at over 240



mm (~9.4 inches), was located near the coast of eastern Mindanao where the typhoon first hit the island. Rainfall totals of over 100mm (~3.9 inches) covered a large area of eastern Mindanao. Because Bopha was moving relatively fast, it kept rainfall totals down.

On Thursday, Dec. 6 at 1500 UTC (10 a.m. EST, U.S.), Bopha had weakened to a tropical storm with <u>maximum sustained winds</u> near 55 knots (63 mph/102 kph). At that time, Bopha's center was located near 13.0 north latitude and 116.2 east longitude, about 295 nautical miles west-southwest of Manila, Philippines. Bopha was moving to the northnorthwest at 4 knots (4.6 mph/7.4 kph) and is expected to continue in that general direction over open waters for the next couple of days.

Infrared satellite imagery has shown that the strongest convection (rising air that condenses and creates the thunderstorms that make up the tropical cyclone) around the center was weakening, and the center was elongating. Bopha is in an area of moderate vertical wind shear which is helping to elongate and weaken the storm. Cooler waters and a northeasterly monsoon surge will help to weaken Bopha over the next couple of days.

Provided by NASA's Goddard Space Flight Center

Citation: NASA compiles Typhoon Bopha's Philippines Rainfall totals from space (2012, December 6) retrieved 2 May 2024 from <u>https://phys.org/news/2012-12-nasa-typhoon-bopha-philippines-rainfall.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.