

Stars reveal the secrets of looking young

December 19 2012



This image from the MPG/ESO 2.2-meter telescope at ESO's La Silla Observatory in Chile shows NGC 6388, a dynamically middle-aged globular cluster in the Milky Way. While the cluster formed in the distant past (like all globular clusters, it is over ten billion years old), a study of the distribution of



bright blue stars within the cluster shows that it has aged at a moderate speed, and its heaviest stars are in the process of migrating to the center. A new study using ESO data has discovered that globular clusters of the same age can have dramatically different distributions of blue straggler stars within them, suggesting that clusters can age at substantially different rates. Credit: ESO, F. Ferraro (University of Bologna)

Some people are in great shape at the age of 90, while others are decrepit before they're 50. We know that how fast people age is only loosely linked to how old they actually are—and may have more to do with their lifestyle. A new study using both the MPG/ESO 2.2-metre telescope at ESO's La Silla Observatory and the NASA/ESA Hubble Space Telescope reveals that the same is true of star clusters.

Globular clusters are spherical collections of stars, tightly bound to each other by their mutual gravity. Relics of the early years of the Universe, with ages of typically 12-13 billion years (the <u>Big Bang</u> took place 13.7 billion years ago), there are roughly 150 globular clusters in the <u>Milky</u> <u>Way</u> and they contain many of our galaxy's oldest stars.

But while the stars are old and the clusters formed in the distant past, astronomers using the MPG/ESO 2.2-metre telescope and the NASA /ESA Hubble Space Telescope have found that some of these clusters are still young at heart. The research is presented in the 20 December 2012 issue of the journal *Nature*.

"Although these clusters all formed billions of years ago," says Francesco Ferraro (University of Bologna, Italy), the leader of the team that made the discovery, "we wondered whether some might be aging faster or slower than others. By studying the distribution of a type of blue star that exists in the clusters, we found that some clusters had



indeed evolved much faster over their lifetimes, and we developed a way to measure the rate of aging."



The aging of star clusters is linked more with their lifestyle than with how old they actually are, according to a new NASA/ESA Hubble Space Telescope study coauthored by Penn State astronomer Steinn Sigurdsson and other scientists, and led by Francesco Ferraro of the University of Bologna in Italy. The research reveals, for the first time, that each star cluster has its own internal clock, some of which are ticking slower than others. This image gallery shows 12 globular clusters ranked in order of increasing dynamical age as measured from the observed distribution of their blue-straggler stars. Credit: F. Ferraro (UniBO)

Star clusters form in a short period of time, meaning that all the stars



within them tend to have roughly the same age. Because bright, highmass stars burn up their fuel quite quickly, and globular clusters are very old, there should only be low-mass stars still shining within them.

This, however, turns out not to be the case: in certain circumstances, stars can be given a new burst of life, receiving extra fuel that bulks them up and substantially brightens them. This can happen if one star pulls matter off a close neighbour, or if they collide. The re-invigorated stars are called <u>blue stragglers</u>, and their high mass and brightness are properties that lie at the heart of this study.

Heavier stars sink towards the centre of a cluster as the cluster ages, in a process similar to sedimentation. Blue stragglers' high masses mean they are strongly affected by this process, while their brightness makes them relatively easy to observe.

To better understand cluster aging, the team mapped the location of blue straggler stars in 21 globular clusters, as seen in images from the MPG/ESO 2.2-metre telescope and Hubble, among other observatories. Hubble provided high resolution imagery of the crowded centres of 20 of the clusters, while the ground-based imagery gave a wider view of their less busy outer regions.





The aging of star clusters is linked more with their lifestyle than with how old they actually are, according to a new NASA/ESA Hubble Space Telescope study coauthored by Penn State astronomer Steinn Sigurdsson and other scientists, and led by Francesco Ferraro of the University of Bologna in Italy. The research reveals, for the first time, that each star cluster has its own internal clock, some of which are ticking slower than others. This illustration shows how bluestraggler stars become heavier than normal stars in star clusters. Blue stragglers are the result of stellar collisions (upper panel) or vampirism between two companion stars (lower panel). Credit: ESA Cosmic Lab

Analysing the observational data, the team found that a few clusters



appeared young, with blue straggler stars distributed throughout, while a larger group appeared old, with the blue stragglers clumped in the centre. A third group was in the process of aging, with the stars closest to the core migrating inwards first, then stars ever further out progressively sinking towards the centre.

"Since these clusters all formed at roughly the same time, this reveals big differences in the speed of evolution from cluster to cluster," said Barbara Lanzoni (University of Bologna, Italy), a co-author of the study. "In the case of fast-aging clusters, we think that the sedimentation process can be complete within a few hundred million years, while for the slowest it would take several times the current age of the Universe."

As a cluster's heaviest stars sink towards the centre, the cluster eventually experiences a phenomenon called core collapse, where the centre of the <u>cluster</u> bunches together extremely densely. The processes leading towards core collapse are quite well understood, and revolve around the number, density and speed of movement of the <u>stars</u>. However, the rate at which they happened was not known until now. This study provides the first empirical evidence of how quickly different <u>globular clusters</u> age.

More information: This research was presented in a paper, "Dynamical age differences amongst coeval star clusters as revealed by blue stragglers", by F. R. Ferraro et al., to appear in the journal *Nature* on 20 December 2012.

Provided by ESO

Citation: Stars reveal the secrets of looking young (2012, December 19) retrieved 2 May 2024 from <u>https://phys.org/news/2012-12-stars-reveal-secrets-young.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.